

Data Report 1998

Part 1: Annual summaries

Anne-Gunn Hjellbrekke

NILU : EMEP/CCC-Report 3/2000
REFERENCE : O-7727
DATE : JULY 2000

**EMEP Co-operative Programme for Monitoring and Evaluation
of the Long-range Transmission of Air Pollutants
in Europe**

Data Report 1998
Part 1: Annual summaries

Anne-Gunn Hjellbrekke

Contents

	Page
1. Introduction	5
2. The measurement network	5
3. Site codes	8
4. The measurement programme during 1998.....	9
5. Sampling and analytical methods	9
6. Laboratory intercomparison	10
7. Data from the monitoring stations.....	10
8. Calculation of excess sulphate in precipitation.....	10
9. Data flagged in this report.....	10
10. Annual summaries of the data	11
10.1 Maps over Europe.....	11
10.2 Annual summaries in tables.....	11
11. Update.....	17
12. References	17
13. Acknowledgements.....	18
14. List of participating institutions.....	19
Annex 1 Overview of sampling and analytical methods 1998.....	21
Annex 2 Annual statistics on precipitation data	33
Annex 3 Annual statistics on gases and aerosol data.....	57
Annex 4 List of data reports.....	73
Annex 5 EMEP Data Quality Objectives (DQO)	81

Data Report 1998

Part 1: Annual summaries

1. Introduction

Measurements of air quality in Europe have been carried out under the "Co-operative programme for monitoring and evaluation of the long range transmission of air pollutants in Europe" (EMEP) since 1 October 1977. From the start, priority was given to sulphur dioxide and sulphate in air, and pH and sulphate in precipitation, gradually increasing to all main components in precipitation and ozone and nitrogen compounds in air. A few sites also measure VOC. EMEP does not yet have its own monitoring network for POPs and heavy metals, but existing data are collected and reported yearly.

The EMEP data from 1998 for the main components in air and precipitation have been presented in two reports. Part 1, contained in this volume, gives the annual summaries. Part 2, contained in EMEP/CCC-Report 4/2000, gives the seasonal and monthly summaries of the data from 1998.

In total, precipitation data from 84 stations and air data from 94 stations are presented in this report. The total number of measurement sites in this report is 98.

The air and precipitation samples were analysed at the laboratories in the participating countries and the results have been forwarded to the Chemical Co-ordinating Centre (CCC) at the Norwegian Institute for Air Research (NILU).

2. The measurement network

The location of the measurement sites which have delivered data during 1998 are given in Table 1 and Figure 1. In addition to the network presented here, there are additionally sites with other types of measurements.

In some parts of Europe, the site density is low and highly unsatisfactory. There is a need for more sites especially in the Mediterranean region and in the eastern parts of Europe.

Data have not been reported from Belgium since 1992. There are no data from Valentia Observatory this year due to technical problems at the laboratory, and no data have been reported from Greece.

Table 1: List of EMEP monitoring stations in operation in 1998.

Country	Station codes		Station name	Location		Height above sea (m)
	New	Old		Lat.	Long.	
Austria	AT0002R	AT2,A2	Illmitz	47°46'E	16°46'E	117
	AT0004R	AT4,A4	St. Koloman	47°39'N	13°12'E	851
	AT0005R	AT5	Vorhegg	46°40'N	12°58'E	1020
Czech Rep.	CZ0001R	CS1	Svratouch	49°04'N	16°02'E	737
	CZ0003R	CS3	Kosetice	49°35'N	15°05'E	534
Denmark	DK0003R	DK3	Tange	56°21'N	9°36'E	13
	DK0005R	DK5	Keldsnor	54°44'N	10°44'E	9
	DK0008R	DK8	Anholt	56°43'N	11°31'E	40
Estonia	EE0009R	EE9,SU9	Lahemaa	59°30'N	25°54'E	32
	EE0011R	EE11,SU11	Vilsandi	58°23'N	21°49'E	6
Finland	FI0004R	FI4,SF4	Ähtari	62°33'N	24°13'E	162
	FI0009R	FI9,SF9	Utö	59°47'N	21°23'E	7
	FI0017R	FI17,SF17	Virolahti II	60°31'N	27°41'E	4
	FI0022R	FI22,SF22	Oulanka	66°19'N	29°24'E	310
	FI0037R	-	Ähtari II	62°35'N	24°11'E	180
France	FR0003R	FR3,F3	La Crouzille	45°50'N	1°16'E	497
	FR0005R	FR5,F5	La Hague	49°37'N	10°50'W	133
	FR0008R	FR8,F8	Donon	48°30'N	7°08'E	775
	FR0009R	FR9,F9	Revin	49°54'N	4°38'E	390
	FR0010R	FR10,F10	Morvan	47°16'N	4°05'E	620
	FR0011R	FR11,F11	Bonnevaux	46°49'N	6°11'E	836
	FR0012R	FR12,F12	Iraty	43°02'N	1°05'W	1300
	FR0013R	-	Peyrusse Vieille	47°22'N	0°06'E	236
	FR0014R	-	Montandon	47°11'N	6°30'E	746
Germany	DE0001R	DE1,D1	Westerland	54°55'N	8°18'E	12
	DE0002R	DE2,D2	Langenbrügge	52°48'N	10°45'E	74
	DE0003R	DE3,D3	Schauinsland	47°55'N	7°54'E	1205
	DE0004R	DE4,D4	Deuselbach	49°46'N	7°03'E	480
	DE0005R	DE5,D5	Brotjacklriegel	48°49'N	13°13'E	1016
	DE0007R	DE7,D2	Neuglobsow	53°09'N	13°02'E	62
	DE0008R	DE8,D8	Schmücke	50°39'N	10°46'E	937
	DE0009R	DE9	Zingst	54°26'N	12°44'E	1
	HU0002R	HU2,H1	K-puszta	46°58'N	19°35'E	125
Hungary	IS0002R	IS2	Irafoss	64°05'N	21°01'W	61
Ireland	IE0002R	IE2,IR2	Turlough Hill	53°02'N	6°24'W	420
	IE0003R	IE3	The Burren	53°00'N	7°27'W	90
	IE0004R	IE4	Ridge of Capard	53°07'N	9°20'W	340
Italy	IT0001R	IT1,I1	Montelibretti	42°06'N	12°38'E	48
	IT0004R	IT4,I4	Ispra	45°48'N	8°38'E	209
Latvia	LV0010R	LV10,SU10	Rucava	56°13'N	21°13'E	18
	LV0016R	LV16	Zoseni	57°08'N	25°55'E	183
Lithuania	LT0015R	LT15,SU15	Preila	55°21'N	21°04'E	5
Netherlands	NL0009R	NL9	Kollumerwaard	53°20'N	6°17'E	0
	NL0010R	NL10	Vreedepel	51°32'N	5°51'E	28

Table 1 cont.:

Country	Station codes		Station name	Location		Height above sea (m)
	New	Old		Lat.	Long.	
Norway	NO0001R	NO1,N1	Birkenes	58°23'N	8°15'E	190
	NO0008R	NO8,N8	Skreådalen	58°49'N	6°43'E	475
	NO0015R	NO15,N15	Tustervatn	65°50'N	13°55'E	439
	NO0039R	NO39,N39	Kårvatn	62°47'N	8°53'E	210
	NO0041R	NO41,N41	Osen	61°15'N	11°47'E	440
	NO0042G	NO42,N42	Spitzbergen, Zeppelinfjell	78°54'N	11°53'E	474
	NO0055R	NO55	Karasjok	69°28'N	25°13'E	333
Poland	PL0002R	PL2	Jarczew	51°49'N	21°59'E	180
	PL0003R	PL3	Sniezka	50°44'N	15°44'E	1604
	PL0004R	PL4	Leba	54°45'N	17°32'E	2
	PL0005R	PL5	Diabla Gora	54°09'N	22°04'E	157
Portugal	PT0001R	PT1,P1	Braganca	41°49'N	6°46'W	691
	PT0003R	PT3,P3	V. d. Castelo	41°42'N	8°48'W	16
	PT0004R	PT4,P4	Monte Velho	38°05'N	8°48'W	43
Russian Federation	RU0001R	RU1,SU1	Janiskoski	68°56'N	28°51'E	118
	RU0013R	RU13,SU13	Pinega	64°42'N	43°24'E	28
	RU0016R	RU16	Shepeljovo	59°58'N	29°07'E	4
Slovenia	SI0008R	SI8	Iskrba	45°34'N	14°52'E	520
Slovakia	SK0002R	SK2,CS2	Chopok	48°56'N	19°35'E	2008
	SK0004R	SK4	Stará Lesná	49°09'N	20°17'E	808
	SK0005R	SK5	Liesek	49°22'N	19°41'E	892
	SK0006R	SK6	Starina	49°03'N	22°16'E	345
Spain	ES0001R	ES1,E1	San Pablo	39°33'N	4°21'W	917
	ES0003R	ES3,E3	Roquetas	40°49'N	0°30'W	50
	ES0004R	ES4,E4	Logrono	42°27'N	2°30'W	445
	ES0005R	ES5	Noya	42°44'N	8°55'W	685
	ES0006R	ES6	Mahon	39°52'N	4°19'E	78
	ES0007R	ES7	Viznar	37°14'N	3°32'W	1265
Sweden	SE0002R	SE2,S2	Rörvik	57°25'N	11°56'E	10
	SE0005R	SE5,S5	Bredkälen	63°51'N	15°20'E	404
	SE0008R	SE8,S8	Hoburg	56°55'N	18°09'E	58
	SE0011R	SE11,S11	Vavihill	56°01'N	13°09'E	172
	SE0012R	SE12,S12	Aspvreten	58°48'N	17°23'E	20
Switzerland	CH0001G	CH1	Jungfraujoch	46°33'N	7°59'E	3573
	CH0002R	CH2	Payerne	46°48'N	6°57'E	510
	CH0003R	CH3,CH32	Tänikon	47°29'N	8°54'E	540
	CH0004R	CH4	Chaumont	47°03'N	6°59'E	1130
	CH0005R	CH5	Rigi	47°04'N	8°28'E	1030
Turkey	TR0001R	TR1	Cubuk II	40°30'N	33°00'E	1169
United Kingdom	GB0002R	GB2,UK2	Eskdalemuir	55°19'N	3°12'W	243
	GB0004R	GB4UK4	Stoke Ferry	52°34'N	0°30'E	15
	GB0006R	GB6,UK6	Lough Navar	54°26'N	7°54'W	126
	GB0007R	GB7,UK7	Barcombe Mills	50°52'N	0°02'W	8
	GB0013R	GB13,UK13	Yarner Wood	50°36'N	3°43'W	119
	GB0014R	GB14,UK14	High Muffles	54°20'N	0°48'W	267
	GB0015R	GB15,UK15	Strath Vaich Dam	57°44'N	4°46'W	270
	GB0016R	GB16,UK16	Glen Dye	56°58'N	2°25'W	85

Table 1 cont.:

Country	Station codes		Station name	Location		Height above sea (m)
	New	Old		Lat.	Long.	
United Kingdom cont.	GB0036R	GB36	Harwell	51°34'N	1°18'W	137
	GB0037R	GB37	Ladybower	53°23'N	1°45'W	420
	GB0038R	GB38	Lullington Heath	50°47'N	0°10'W	120
	GB0043R	GB43	Narberth	51°14'N	4°42'W	160
	GB0045R	GB45	Wicken Fen	52°18'N	0°18'W	5
Yugoslavia	YU0005R	YU5	Kamenicki vis	43°24'N	21°57'E	813
	YU0008R	YU8	Zabljak	43°09'N	19°08'E	1450

3. Site codes

The site codes used in this report are the codes used for data submission and storage in the EMEP data base. The codes consist of the two-letter ISO code for the countries, a four-digit number and a letter indicating the type of station, regional (R) or global (G). The station numbers have been retained from previous codes used.




Figure 1: Location of the EMEP monitoring stations in operation in 1998. Sites with ozone/VOC measurements only are not included.

4. The measurement programme during 1998

EMEP's measurement programme during 1998 is presented in Table 2. Many sites had however, even during 1998, a less extensive measurement programme, as can be seen from the data tables in this report. Most sites measure air as well as precipitation components. However, some sites perform either the one or the other type of measurements.

*Table 2: EMEP's measurement programme 1998.
Sampling periods are 24 hours except for ozone and VOC.*

	Components	Measurement period	Measurement frequency
Gas	SO ₂ , NO ₂ O ₃ Light hydrocarbons C ₂ -C ₇ * ketones and aldehydes (VOC)	24 hours Hourly means stored 10 - 15 minutes 8 hours	Daily Continuously Twice weekly Twice weekly
Particles	SO ₄ ²⁻	24 hours	Daily
Gas + particles	HNO ₃ (g) + NO ₃ ⁻ (p) NH ₃ (g) + NH ₄ ⁺ (p)	24 hours	Daily
Precipitation	Amount of precipitation, SO ₄ ²⁻ , NO ₃ ⁻ , Cl ⁻ , pH/H ⁺ NH ₄ ⁺ , Na ⁺ Mg ²⁺ , Ca ²⁺ , K ⁺ , conductivity	24 hours	Daily

* Measurements are made at a small number of sites only.

An evaluation of the VOC measurement programme within EMEP has been published earlier (Solberg et al., 1995). The VOC data from 1998 was reported separately by Solberg (1999), while ozone data from 1998 was reported by Hjellbrekke (2000). Heavy metals and POPs were reported by Berg and Hjellbrekke (2000).

A list of data reports from EMEP/CCC can be found in Annex 4.

5. Sampling and analytical methods

The recommended procedures for sampling and analysis of precipitation and air are described in the EMEP Manual for sampling and chemical analysis. The manual has been updated and sent out in 1996 (Hanssen et al., 1995). A version is also available on the WWW at <http://www.nilu.no/projects/ccc/manual/>. The methods used by the participating countries are given in Annex 1.

6. Laboratory intercomparison

During 1997 the 16th laboratory intercomparison of analytical methods was carried out. As usual most of the laboratories report acceptable data, but there are still some outliers. The intercomparison results are presented in EMEP/CCC Report 2/97. No laboratory intercomparison was carried out during 1998.

7. Data from the monitoring stations

The data sent to CCC on diskettes or transferred through internet, are checked and stored in the CCC database.

Generally, concentrations of gaseous nitric acid and ammonia, and of nitrate and ammonium in aerosol particles are determined by filter pack sampling. However, sampling artefacts due to the volatile nature of ammonium nitrate, and the possible interaction with strong acids, e.g. sulphuric acid, make separation of gases and particles by simple aerosol filters unreliable. Therefore only the sums of nitric acid and nitrate, and of ammonium and ammonia are unbiased.

8. Calculation of excess sulphate in precipitation

The sulphate in precipitation is stored in the database as reported, i.e. total sulphate, and as corrected, non-marine sulphate, i.e. total sulphate minus sulphate originating from sea-salt particles.

When the sulphate concentrations originating from sea-salt are larger than the total sulphate, and the corrected sulphate concentrations consequently become less than zero, negative concentrations have been stored in the data base and have been used to calculate averages in the report in order to avoid bias in the aggregates. Negative concentrations are mainly caused by random errors in the data and occur when non sea-salt sulphate concentrations are low compared to total sulphate.

CCC has since 1994 used a routine worked out by the Canadian Air and Precipitation Monitoring Network (CAPMoN) for calculation of the marine contribution to sulphate in precipitation. The routine has been adopted by the WMO GAW. A series of EMEP's sites will also report data to WMO, and common routines will necessarily fill the data bases with identical data. This is consequently a step in a harmonisation process between EMEP and WMO GAW.

Excess sulphate data as calculated with the old routine are available from the CCC as a continuation of the data series upon request.

9. Data flagged in this report

EMEP's data quality objectives (DQO, Annex 5) were set to provide sufficiently accurate data for EMEP's needs. They have been discussed and accepted at the Steering Body in 1996, and the participating laboratories have consequently to provide data meeting the DQO in order to have them accepted by EMEP.

The Parties to the Convention are obliged to make this goal attainable to their own EMEP laboratories. The laboratories must therefore be sufficiently funded to do their measurements in accordance with recommended methods and instrumentation in field and in laboratory. Although a harmonisation and standardisation of methods is strongly needed, methods equivalent to the recommended ones may be acceptable if the participant has demonstrated that the data meet the DQO. Secondly, and of greatest importance is to have sufficient funding to be able to implement quality assurance procedures good enough to provide data meeting the DQO.

The CCC has in collaboration with MSC-W performed an evaluation of the methods and data quality of precipitation and air measurements (Aas et al., 2000). The intention with this evaluation is to give an estimate of the expected errors in the annual arithmetic averages from 1998.

The averages have been classified in four quality groups:

- A: expected error 10% or better
- B: expected error 25% or better
- C: expected error 30% or better
- D: expected error worse than 30% or unknown/not documented

The sources used in the evaluation are:

- 21st WMO/GAW Acid Rain Performance Survey (Coleman et al., 1999). EMEP/CCC did not have any laboratory intercomparison in 1998, and with acceptances from WMO and the participants this survey was used.
- If results from the survey were unavailable, results from the intercomparisons from the three previous years were used (Hanssen and Skjelmoen, 1995, 1996 and 1997).
- Results from field comparisons (Schaug et al., 1998; Aas et al., 1999).
- Calculations on ion balances.

The results from this evaluation have been used to flag most of the data presented in this report.

10. Annual summaries of the data

10.1 Maps over Europe

Geographical distributions of sulphur and nitrogen compounds based on both modelled and observed concentrations in 1998 are published in a joint MSC-W/CCC summary report (EMEP, 2000).

10.2 Annual summaries in tables

Annual summaries of the precipitation data are given in Annex 2 and of the air data in Annex 3. The precipitation component summaries contain:

- the precipitation weighted arithmetic mean value,
- the minimum and maximum daily concentrations,
- the wet deposition,
- percent of total precipitation amount analysed for a specific component (completeness for precipitation data),
- the number of data below the detection limit,
- a sampling flag which gives information about deviations from the EMEP sampling procedures.

The wet depositions have been obtained by multiplying the weighted mean concentration by the total amount of precipitation in the period. The concentrations for days with missing precipitation data have consequently been assumed to be equal to the weighted average of the period.

Concentrations less than zero may exist in the database for sulphate in precipitation corrected for sea-salt. This occurs whenever the sea-salt contribution is larger than the total sulphate concentration, and it is caused by random errors in the results. The negative values have been included in the estimation of the weighted arithmetic mean values.

For air components the arithmetic mean and the geometric mean have been computed together with their standard deviations. The definitions are given on the next three pages. The geometric standard deviation is a dimensionless factor. If the data come from a random sample of independent data in a normal distribution, about 95% of the data will lie between

$$\bar{c}_a - 2sd_a \text{ and } \bar{c}_a + 2sd_a$$

and between

$$\frac{\bar{c}_g}{sd_g^2} \text{ and } \bar{c}_g \cdot sd_g^2$$

if the data come from a lognormal distribution. The minimum, maximum, 5 and 95 percentiles are also presented in Annex 3. As a measure of the completeness of the dataset, the percentage of samples analysed in the period has been printed.

In the computations of mean values and other statistics, the concentrations below the detection limit have been set equal to one half of the actual limit. An overview of the statistics and definitions is given below.

W.mean \hat{c} is the precipitation weighted arithmetic mean concentration used for precipitation components:

$$\hat{c} = \frac{I}{\sum_i p_i} \cdot \sum_i c_i \cdot p_i$$

where p_i is precipitation amount day i with the measured concentration c_i of a specific component.

Arit mean \bar{c}_a is the arithmetic mean value used for air components only, and N is number of days with data:

$$\bar{c}_a = \frac{1}{N} \sum_i c_i$$

Arit sd sd_a is the arithmetic standard deviation from the arithmetic mean value. It is computed for air components only:

$$sd_a = \sqrt{\frac{\sum_i (c_i - \bar{c}_a)^2}{N - 1}}$$

Geom mean \bar{c}_g is the geometric mean value used for air components only, and it is computed from the arithmetic mean of $\ln c$:

$$\bar{\ln c} = \frac{1}{N} \cdot \sum_i \ln c_i$$

$$\bar{c}_g = \exp(\bar{\ln c})$$

Geom sd sd_g is the geometric standard deviation from the geometric mean value. It is computed for air components only, and it is based on the standard deviation of $\ln c$:

$$sd_{\ln c} = \sqrt{\frac{\sum_i (\ln c_i - \bar{\ln c})^2}{N - 1}}$$

$$sd_g = \exp(sd_{\ln c})$$

Min is the minimum value reported for a specific component, and it is printed both for precipitation and air components.

5% is the 5 percentile computed from the histogram of the daily results. The data have been divided into 30 classes of equal size with the addition of two extreme classes. The 5 percentile has been computed by linear interpolation of the two closest class marks. The percentile has been computed for air components only.

50%	is the 50 percentile, defined as above and computed for air data only.
95%	is the 95 percentile, defined as above and computed for air data only.
Max	is the maximum value reported for a specific component, and it is given for precipitation and air components.
Dep	is the wet deposition of a specific precipitation component. The deposition is the product of the total precipitation amount measured and the weighted arithmetic mean of a component measured at a site.
% anal	for precipitation components this is the percent of the total precipitation reported analysed for a specific component, and for air components based on the number of days with data.
Num bel	is the number of data below the detection limit (not used for precipitation amount).
Num day	is the number of days with measurements for a specific component.
QA flag	is the quality flag described in section 9.
Samp flag	is a one character code which gives information about routinelywise deviation from the EMEP sampling length and frequency. The code used in this report is: W: weekly sampling

The units used for the results in this report are given in Table 3 and Table 4.

The start hours for the sample collections for the period covered by this report are given in Table 5.

Table 3: Units used for precipitation components.

Precipitation components	Units for W. mean, Min Max	Units for depositions
Amount	mm	mm
SO_4^{2-}	mg S/l	mg S/m ²
NO_3^-	mg N/l	mg N/m ²
Cl^-	mg Cl/l	mg Cl/m ²
NH_4^+	mg N/l	mg N/m ²
H^+	$\mu\text{e H}^+/\text{l}$	$\mu\text{e H}^+/\text{m}^2$
pH	pH-units	$\mu\text{e H}^+/\text{m}^2$
Na^+	mg Na/l	mg Na/m ²
Mg^{2+}	mg Mg/l	mg Mg/m ²
K^+	mg K/l	mg K/m ²
Ca^{2+}	mg Ca/l	mg Ca/m ²

Table 4: Units used for air components.

Air components	Units for arithmetic and geometric mean values, arithmetic standard deviations, Min., Max, percentiles.
SO_2	$\mu\text{g S/m}^3$
NO_2	$\mu\text{g N/m}^3$
HNO_3	$\mu\text{g N/m}^3$
NH_3	$\mu\text{g N/m}^3$
SO_4^{2-}	$\mu\text{g S/m}^3$
NO_3^-	$\mu\text{g N/m}^3$
NH_4^+	$\mu\text{g N/m}^3$
H^+	$\text{ne H}^+/\text{m}^3$
SPM	$\mu\text{g/m}^3$
$\text{HNO}_3 + \text{NO}_3^-$	$\mu\text{g N/m}^3$
$\text{NH}_3 + \text{NH}_4^+$	$\mu\text{g N/m}^3$

Table 5: Start hours for sampling (GMT) in 1998.

Site	Prec.	Air	Site	Prec.	Air
AT 2	08	-	HR 2	06	06
AT 3	08	-	HR 4	06	06
AT 4	08	-	HU 2	07	07
CH 1	-	08	IE 1	10	10
CH 2	08	08	IE 2	(1)	(1)
CH 3	-	08	IS 2	09	09
CH 4	-	08	IT 1	(1)	(1)
CH 5	-	08	IT 4	10	10
CS 1	07	07	LT15	09	09
CS 3	07	07	LV10	09	09
DE 1	07	00	LV16	-	09
DE 2	07	00	NL 9	07	07
DE 3	07	00	NL10	07	07
DE 4	07	00	NO 1	07	07
DE 5	07	00	NO 8	07	07
DE 7	07	00	NO15	07	07
DE 8	07	00	NO30	07	07
DE 9	07	00	NO39	07	07
DE12	-	00	NO41	07	07
DE14	-	00	NO42	-	07
DE17	-	00	PL 2	06	06
DE18	-	00	PL 3	06	06
DE19	-	00	PL 4	06	06
DK 3	07	07	PL 5	06	06
DK 5	07	07	PT 1	09	-
DK 8	07	07	PT 3	09	-
ES 1	07	07	PT 4	09	09
ES 2	07	07	RU 1	(1)	(1)
ES 3	07	07	RU13	(1)	(1)
ES 4	07	07	RU14	(1)	(1)
ES 5	07	07	RU16	(1)	(1)
ES 6	07	07	SE 2	06	06
FI 4	06	06	SE 5	06	06
FI 9	06	06	SE 8	-	06
FI17	06	06	SE11	06	06
FI22	06	06	SE12	06	06
FR 3	09	09	SE13	-	09
FR 5	09	09	SK 2	07	07
FR 8	09	09	SK 4	07	07
FR 9	09	09	SK 5	07	07
FR10	09	09	SK 6	07	07
FR11	09	09	TR 1	00	00
FR12	09	09	YU 5	(1)	(1)
GB 2	07	07	YU 8	(1)	(1)
GB 4	-	07	GR1	-	00
GB 6	07	07			
GB 7	-	07			
GB13	07	07			
GB14	07	07			
GB15	07	07			
GB16	-	07			

(1) : Not reported

11. Update

The data compiled in this report represent the best data available at present. If any further errors are detected, the data will be corrected in the database. It is important that users make certain that they have access to the most recent version of the database. For the data presented here the latest alteration was 20 June, 2000.

Scientific use of the EMEP data should be based on fresh copies of the data. Copies can be requested from the CCC (e-mail: anne-gunn.hjellbrekke@nilu.no). Information about the EMEP network and measurement data can also be found at <http://www.emep.int> and <http://www.nilu.no/projects/ccc/index.html>

12. References

- Berg T. and Hjellbrekke, A.-G. (2000) Heavy metals and POPs within the ECE region 1998. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 2/2000).
- Coleman, T.L., Galvin, P.J. and Mohnen, V.A. (1999) Report of the 21st intercomparison of WMO/GAW precipitation chemistry laboratories. Albany, N.Y., Atmospheric Sciences Research Center (WDCPC No. 4).
- Hanssen, J.E., Schaug, L. and Semb, A. (1995) Manual for sampling and chemical analysis. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 1/95).
- Hanssen, J. E. and Skjelmoen, J. E. (1995) The fourteenth intercomparison of analytical methods within EMEP. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 3/95).
- Hanssen, J. E. and Skjelmoen, J. E. (1996) The fifteenth intercomparison of analytical methods within EMEP. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 2/96).
- Hanssen, J. E. and Skjelmoen, J. E. (1997) The sixteenth intercomparison of analytical methods within EMEP. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 2/97).
- Hjellbrekke, A.-G. (2000) Ozone measurements 1998. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 5/2000).
- Schaug, J., Semb, A. and Hjellbrekke A.-G. (1998) Data quality 1996, quality assurance and field comparisons. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 6/98).

Solberg, S., Dye, C., Schmidbauer, N. and Simpson, D. (1995) Evaluation of the VOC measurement programme within EMEP. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 5/95).

Solberg, S. (1999) VOC measurements 1998. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 5/99).

Tarrason, L. and Schaug, S. (eds.) (2000) Transboundary acid deposition in Europe. EMEP summary report 2000. Oslo, Norwegian Meteorological Institute (EMEP Report 1/2000).

Aas, W., Hjellbrekke, A.-G., Semb, A. and Schaug, J. (1999) Data quality 1997, quality assurance, and field comparisons. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 6/99).

Aas, W., Hjellbrekke, A.-G. and Schaug, J. (2000) Data quality 1998, quality assurance and field comparisons. Kjeller, Norwegian Institute for Air Research (EMEP/CCC-Report 6/2000).

13. Acknowledgements

A large number of anonymous co-workers in participating countries have been involved in the many steps of collection of EMEP's air and precipitation data. A list of participating institutes can be seen below. The staff at CCC wishes to express their gratitude and appreciation for continued good co-operation and efforts. Closer at home, and of equal significance to the presentation of our work, the secretarial work, and far beyond, has been performed by Ms. Kristine Aasarød. Rita Larsen has been very helpful with data flow and data base maintenance.

14. List of participating institutions

Austria	Umweltbundesamt
Commission of the European Communities	Joint Research Center, Ispra Establishment
Croatia	Meteorological and Hydrological Service of Croatia
Czech Republic	Czech Hydrometeorological Institute
Denmark	National Environmental Research Institute
Finland	Finnish Meteorological Institute
France	I' Ecole des Mines de Douai Laboratories Wolff
Germany	Umweltbundesamt
Greece	Ministry of Environmental Physical Planning and Public Works
Hungary	Institute for Atmospheric Physics, Dep. for Air Chemistry
Iceland	The Icelandic Meteorological Office
Ireland	Meteorological Service H.Q. Electricity Supply Board (ESB)
Italy	C.N.R. Istituto Inquinamento Atmosferico
Latvia	Latvian Hydrometeorological Agency
Lithuania	Institute of Physics
Netherlands	National Institute for Public Health and Environmental Protection (RIVM)
Norway	Norwegian Institute for Air Research (NILU)
Poland	Institute of Meteorology and Water Management Institute of Environmental Protection
Portugal	Ministério do ambiente e recursos naturais
Russian Federation	Institute of Global Climate and Ecology
Slovak Republic	Slovak Hydrometeorological Institute
Spain	Dirección General de Calidad y Evaluación Ambiental
Sweden	Swedish Environmental Research Institute (IVL)
Switzerland	Swiss Federal Laboratory of Testing Materials and Research (EMPA)
Turkey	Refik Saydam Centre of Hygiene
United Kingdom	AEA Technology
Yugoslavia	Federal Hydrometeorological Institute

Annex 1

Overview of sampling and analytical methods 1998

This Annex gives an overview of the sampling and analytical methods in use in the participating countries during 1998. The information given is mostly based on answered questionnaires issued by the CCC.

Table 1.1 shows the sampling techniques used for precipitation and aerosol components in the different countries. Table 1.2 shows the corresponding information for gases and Table 1.3 information on sampling for the sum of aerosols and gases.

Table 1.4 shows the analytical methods used for components in aerosols, for gases and for the sum of aerosols and gases. Several combinations of reagents can be used in the Griess method for measurements of nitrogen dioxide and in the data reports different combinations have been given different names, e.g. NEDA and ANSA in the past. Due to the increasing number of different reagent combinations, no distinction was made in 1998 between the different procedure which have all been referenced to as Griess method in Tables 1.4 and 1.7.

Table 1.5 shows the methods used for components in precipitation.

Tables 1.6 to 1.15 give the code numbers for the methods used in Tables 1.4 and 1.5.

Table 1.1: Techniques for sampling of precipitation and for aerosols in 1998.

Country	Precipitation	Particulate sulphate	Particulate ammonium	Particulate nitrate
Austria	Wet only	Schleicher und Schüll TE 36 Membranfilter 0.45 µm, 47 mm diameter, 2.7 Nm ³ /day	-	-
Croatia	Bulk	-	-	-
Czech Republic	Bulk and wet-only	Whatman 40 filter 6-8 m ³ /day	Schleicher and Schüll TE36 0.45 µm 5 m ³ /day	As for ammonium
Denmark	Wet-only	Mixed cellulose ester filter Millipore RAWP 1.2 µm 58 m ³ /day	-	-
Estonia	Bulk	Whatman 40 filter 4-5 m ³ /day at Lahemaa	-	-
Finland	Bulk	Whatman 40 filter 24 m ³ /day	-	-
France	Wet-only	Whatman 40 filter 2.5 m ³ /day	-	-

Table 1.1 cont.

Country	Precipitation	Particulate sulphate	Particulate ammonium	Particulate nitrate
Germany	Bulk	Schleicher & Schüll 589/2L filter 1.0 m ³ /day	-	-
Greece	Wet only	Whatman 41 filter 1.1 m ³ /day	-	-
Hungary	Wet only	Teflon filter, Schleicher & Schüll, 1 µm, 25 m ³ /day	As for particulate sulphate	As for particulate sulphate
Iceland	Bulk	Whatman 40 filter 30 m ³ /day	-	-
Ireland	Bulk (IE1) Wet only (IE2, IE3, IE4)	Whatman 40 filter 20-25 m ³ /day (IE1) Gelman GN-6 Metrical filter 20 m ³ /day (IE2, IE3, IE4)	-	-
Italy	Wet only	Teflon filter Gelman Zeflour 1 µ. 17 m ³ /day	Teflon filter (as for sulphate) + phosphorous acid impregnated filter	As for sulphate + Nylasorb filter
Latvia	Bulk (LV16) Wet only (LV10 from July 1996)	Whatman 40 filter 14-20 m ³ /day	Whatman 40 filter 18-28 m ³ /day	As for particulate sulphate
Lithuania	Wet only	Whatman 40 filter, 24 m ³ /day	As for particulate sulphate	As for particulate sulphate
Netherlands	Wet only	Whatman 42 filter 2.5 m ³ /day Filter mounted behind denuder	As for particulate sulphate	As for particulate sulphate.
Norway	Bulk NILU-type	Teflon filter, Gelman Zeflour 2 µm 25 m ³ /day	-	-
Poland	Bulk	Whatman 40 filter PL2,3,4:3.5-4 m ³ /day PL 5: 3.5-5 m ³ /day	As for particulate sulphate	As for particulate sulphate
Portugal	Bulk	Whatman 40 filter , 2.5-4.2 m ³ /day	-	-
Russian Fed.	Bulk	Whatman 40 filter 10-15 m ³ /day	As for particulate sulphate	As for particulate sulphate
Slovakia	Wet only	Whatman 40 filter 6-8 m ³ /day	-	Whatman 40 filter 6-8 m ³ /day

Table 1.1 cont.

Country	Precipitation	Particulate sulphate	Particulate ammonium	Particulate nitrate
Slovenia	-	Teflon filter, Gelman Zefluor 2 µm, 22 m ³ /day	-	-
Spain	Wet only	Whatman GF/A filter 770 m ³ /day	As for particulate sulphate	-
Sweden	Wet only	Teflon filter Gelman Zefluor 2 µm 20 m ³ /day	-	-
Switzerland	Wet only	Schleicher & Schüll filter 589/4, 3.6 m ³ /day (CH2,5), 4.1 m ³ /day (CH1)	-	-
Turkey	Wet only	Whatman 40 filter 35 m ³ /day	See sum of gases and aerosols	See sum of gases and aerosols
United Kingdom	Wet only, collector	Whatman 41 filter 1.1 m ³ /day	-	NILU Sequential air sampler, type EK
Yugoslavia	Bulk	-	-	-
CEC (IT 4)	Wet only	Cellulose acetate 0.8 µm filter 12 m ³ day	As for particulate sulphate	As for particulate sulphate

Table 1.2: Techniques for sampling of gases in 1998.

Country	Sulphur dioxide	Nitrogen dioxide	Ammonia	Nitric acid
Austria	Instrumental: DOAS	DOAS	-	-
Croatia	Absorbing solution TCM, 1.6-2.5 m ³ /day	Absorbing solution Trianolamin 1.6-2.5 m ³ /day	-	-
Czech Republic	KOH-impregnated Whatman 41 filter 6-8 m ³ /day	Impregnated filter NaOH and guajacol Whatman 40 0.72 m ³ /day	Oxalic acid imp. Whatman 41 filter 5 m ³ /day	NaCl-impregnated Whatman 41 filter 0.72 m ³ /day
Denmark	NaF-impregnated + KOH-impregnated Whatman 41 filters 58 m ³ /day	KI-method (glass sinter) 0.7 m ³ /day	-	-

Table 1.2 cont.

Country	Sulphur dioxide	Nitrogen dioxide	Ammonia	Nitric acid
Estonia	NaOH-impregnated Whatman 40 filter 4-5 m ³ /day at Lahemaa Instrumental UV-fluorescens at Vilsandi	Absorbing tubes KI solution, 0.3 m ³ /day at Lahemaa; Instrumental: chemiluminescence at Vilsandi	-	-
Finland	NaOH-impregnated Whatman 40 filter 24 m ³ /day	Instrumental: chemiluminescence	-	-
France	Absorbing solution H ₂ O ₂ , 2.5 m ³ /day	-	-	-
Germany	Absorbing solution TCM 1.0 m ³ /day	Absorbing solution Saltzman 1 m ³ /day		
Greece	Absorbing solution H ₂ O ₂ , 1.1 m ³ /day	Absorbing solution TGS 1.1 m ³ /day	-	-
Hungary	KOH-impregnated Whatman 40 filter, 25 m ³ /day	Iodide method (impregnated glass sinter) 0.7 m ³ /day	Diffusion tube. Coating: oxalic acid. 4 m ³ /day	
Iceland	KOH-impregnated Whatman 40 filter 30 m ³ /day	-	-	-
Ireland	KOH-impregnated Whatman 40 filter 20-25 m ³ /day	Absorbing solution TGS 1.5-1.6 m ³ /day	-	-
Italy	Diffusion tubes NaCl and Na ₂ CO ₃ + glycerine 17 m ³ /day	Instrumental: Chemilumin-escence	Diffusion tubes coated with phosphorous acid 17 m ³ /day	Diffusion tubes NaCl 17 m ³ /day
Latvia	NaOH-impregnated Whatman 40 filter 14-20 m ³ /day	Absorbing KI solution in absorbing tubes with glass granules, 0.2-0.4 m ³ /day	Whatman 40 filter 18-28 m ³ /day	As for sulphur dioxide
Lithuania	KOH-impregnated Whatman 40 filter, 24 m ³ /day	Absorbing solution KI; 0.72 m ³ /day	-	-
Netherlands	Instrumental: UV-fluorescence	Instrumental: Chemilumin-escence	Absorption in NaHSO ₄ , membrane separation, conductivity measurement	-
Norway	KOH-impregnated Whatman 40 filter 25 m ³ /day	Iodide method (impregnated glass sinter) 0.7 m ³ /day	-	-

Table 1.2 cont.

Country	Sulphur dioxide	Nitrogen dioxide	Ammonia	Nitric acid
Poland	KOH-impregnated Whatman 40 filter PL2,3,4: 3.5-4 m ³ /day PL 5: 35-5 m ³ /day	Absorbing solution TGS PL2,3,4:0.7 m ³ /day PL5: 0.3-0.7m ³ /day	-	-
Portugal	Absorbing Solutions H ₂ O ₂ 2.5-4.2 m ³ /day. Instrumental: UV-fluorescence at P4 only	Instrumental: Chemiluminescence at P4 only		
Russian Federation	NaOH-impregnated Whatman 40 filter 10-15 m ³ /day	Absorbing tubes KI 0.3 m ³ /day		
Slovakia	KOH-impregnated Whatman 41 filter 6-8 m ³ /day	Absorbing solution NaOH and guajacol 0.5 m ³ /day	-	KOH-impregnated Whatman 41 filter 6-8 m ³ /day
Slovenia	KOH-impregnated Whatman 40 filter, 22 m ³ /day	-	-	
Spain	Absorbing solution H ₂ O ₂ 2 m ³ /day	Absorbing solution Trietanolamine 1 m ³ /day	-	-
Sweden	KOH-impregnated Whatman 40 filter 20 m ³ /day	Nal-impregnated glass sinters ~0.7 m ³ /day	-	-
Switzerland	CH1: Absorbing solution H ₂ O ₂ 4.1 m ³ /day CH2,3,4,5: Instrumental UV-fluorescence	Instrumental: Chemiluminescence; Cranox at CH1	-	-
Turkey	Absorbing solution TCM 1 m ³ /day	Absorbing solution Saltzman 1 m ³ /day	See sum of gases and aerosols	See sum of gases and aerosols
United Kingdom	Absorbing solution H ₂ O ₂ 1.1m ³ /day	Absorbing solution TGS 1.1 m ³ /day	-	-
Yugoslavia	Absorbing solution TCM, 1.6-2.5 m ³ /day	Absorbing solution TGS, 1.6-2.5 m ³ /day	-	-
CEC (I4)	Instrumental UV-fluorescence	Instruemtal: Chemiluminescence	-	-

Table 1.3: Techniques for sampling of sums of gases and aerosols in 1998.

	Ammonia and ammonium	Nitric acid and nitrate
Denmark	Aerosolfilter as for sulphate + Oxalic acid impregnated Whatman 41, 58 m ³ /day	Aerosolfilter as for sulphate + NaF-impregnated Whatman 41, 58 m ³ /day
Finland	Oxalic acid impregnated Whatman 40 filter, 24 m ³ /day	Whatman 40 + NaOH impregnated Whatman 40 filter, 14-20 m ³ /day
Hungary	-	KOH-impregnated Whatman 40 filter, 25 m ³ /day
Latvia	Whatman 40 filter, 18-28 m ³ /day	Whatman 40 + NaOH impregnated Whatman 40 filter, 24 m ³ /day
Lithuania	Oxalic acid impregnated Whatman 40 filter, 16-17 m ³ /day	KOH impregnated Whatman 40 filter, 16-17 m ³ /day
Norway	Aerosolfilter as for sulphate + Oxalic acid imp. filter, 25 m ³ /day	Aerosolfilter as for sulphate + KOH-imp.filter as for sulphur dioxide, 25 m ³ /day
Poland	Oxalic acid impregnated Whatman 40 filter, 4 m ³ /day	PL2,3,4: NaF impregnated Whatman 40 filter, 4 m ³ /day PL5: NaOH impregnated Whatman 40 filter, 4 m ³ /day
Russian Federation	Oxalic acid impregnated Whatman 40 filter 10-15 m ³ /day	-
Slovenia	Aerosol filter as for sulphate + oxalic acid impregnated Whatman 40 filter, 22 m ³ /day	Aerosol filter as for sulphate + oxalic acid impregnated Whatman 40 filter, 22 m ³ /day
Spain	Oxalic acid impregnated Whatman 40 filter, 35 m ³ /day	NaOH impregnated Whatman 40 filter, 35 m ³ /day
Sweden	Aerosolfilter as for sulphate + Oxalic acid impregnated Whatman 40 filter, 20 m ³ /day	Aerosolfilter as for sulphate + KOH impregnated Whatman 40 filter, 20 m ³ /day
Switzerland	Citric acid impregnated Schleicher & Schüll 589/4 filter July-December 18 m ³ /day	NaOH impregnated Schleicher & Schüll 589/4 filter, 18 m ³ /day
Turkey	Oxalic acid impregnated Whatman 40 filter 35 m ³ /day	KOH impregnated Whatman 40 filter 35 m ³ /day
United Kingdom	Citric acid impregnated Whatman 40 filter, 25 m ³ /day GB2 and GB14	NaOH impregnated Whatman 40 filter, 25 m ³ /day GB2 and GB14

Table 1.4: Analytical methods used by the participants for components in aerosols, for gases, and for the sum of aerosol components and gases in 1998. Method numbers are given in Tables 1.6–1.9.

	SO ₄	NH ₃ /NH ₄	HNO ₃ /NO ₃	SO ₂	NO ₂
Austria	1	-	-	12	5
Belgium	2	-	-	7	4
Croatia	-	-	-	6	3
Czech Republic	2	3	4	3	3
Denmark	10	3	4	1	3
Estonia	1	-	-	1 & 9	3 & 4
Finland	1	1	1	1	4
France	1	-	-	1	-
Germany	2	4	1	6	2
Greece	3	-	-	3	3
Hungary	1	3	1	1	3
Iceland	13	-	-	1	-
Ireland	1	-	-	1	3
Italy	1	1	1	1	4
Latvia	3	3	2	3	3
Lithuania	1	3	1	1	3
Netherlands	1	3	1	9	4
Norway	1	3/1	1	1	3
Poland	3/13#	2/3#	4/5#	3/13#	3
Portugal	1	-	-	1	4\$
Russian Fed.	1	1	1	1/9*	3
Slovakia	1	-	1	1	3
Slovenia	1	1	1	1	
Spain	1	3	1	3	3
Sweden	1	4	1	1	3
Switzerland	2	1	1	1/9**	4
Turkey	?	3	1	6	2
United Kingdom	1	1	1	1	1
Yugoslavia	-	-	-	6	3
CEC (I4)	1	1	1	9	4

* 9 at RU1

** 1 at CH1

9 at CH2, CH3, CH4, CH5

at PL5

\$ at P4 only

Table 1.5: Analytical methods used by the participants for components in precipitation in 1998. Methods numbers are given in Tables 1.10–1.15.

	SO ₄	NO ₃	NH ₄	H ⁺	Mg	Na	Cl	Ca	K
Austria	1	1	1	-	1	1	1	1	1
Belgium	1	1	1	-	3	1	1	3	1
Croatia	4	4	7	6	2	5	2	2	5
Czech Republic	1	1	4/6	6	6	4	1	6	4
Denmark	1	1	5	6	2	2	1	2	2
Estonia	1	1	5	-	2	3	1	3	3
Finland	1	1	1	6	1	1	1	1	1
France	1	1	4	6	1	1	1	1	1
Germany	1	1	4	-	3	6	1	3	6
Greece	3	5	5	-	-	3	2	3	3
Hungary	1	1	5	3	2	5	1	2	5
Iceland	1	-	-	-	-	5/7##	-	-	-
Ireland	1	1	1	-	1	1	1	1	1
Italy	1	1	1	-	1	1	1	1	1
Latvia	1	1	5	-	2	2	2	7	2
Lithuania	1	1	5	6	2	2	1	2	2
Netherlands	1	1	6	5	8	7	1	8	7
Norway	1	1	1	-	1	1	1	1	1
Poland	1/6#	1/8#	3/5#	-	2/7#	5/7#	1/5#	2/7#	5/2#
Portugal	1	1	5	-	1	1	1	1	1
Russian Federation	1	1	1	-	2	1	1	3	1
Slovak Republic	1	1	1	-	1	1	1	1	1
Spain	1	1	5	6	3	3	1	3	6
Sweden	1	1	4	6	1	1	1	1	1
Switzerland	1	1	1	-	1	1	1	1	1
Turkey	1	1	5	6	2	5	1	2	5
United Kingdom	1	1	1	6	1	1	1	1	1
Yugoslavia	2	2	5	-	2	5	2	2	5
CEC (I4)	1	1	1/5	6	1/2	1/2	1	1/2	1/2

At PL5 only

from 1 Oct. 1998 new method

Table 1.6: Methods used for analysing sulphur dioxide and sulphate in particles.

Ion chromatography	SO ₂	SO ₄	1
X-ray fluorescence (XRF)		SO ₄	2
Thorin	SO ₂	SO ₄	3
Ring-oven technique		SO ₄	4
Isotopic dilution method	SO ₂	SO ₄	5
Pararosanilin method	SO ₂		6
Flame photometry	SO ₂		7
Sulfonazo III, automatic,	SO ₂	SO ₄	8
UV-fluorescence	SO ₂		9
Proton Induced X-ray Emission (PIXE)		SO ₄	10
Nephelometry (barium sulphate)	SO ₂	SO ₄	11
DOAS	SO ₂		12
Plasma emission spectrometry		SO ₄	13

Table 1.7: Methods used for analysing nitrogen dioxide.

Ion chromatography	1
Saltzman	2
Griess method	3
CHEMILUMINESCENCE	4
DOAS	5

Table 1.8: Methods used for determination of ammonium in aerosols, ammonia, and the sum of ammonium and ammonia.

Ion chromatography	1
Spectrophotometric, Chloramin T	2
Spectrophotometric, Indophenol method	3
Flow Injection Analysis	4

Table 1.9: Methods used for determination of nitrate in aerosols, nitric acid, and the sum of nitrate and nitric acid.

Ion chromatography	1
Spectrophotometric, Griess after Cd reduction	2
Spectrophotometric, Nitration of sodium salicylate	3
Spectrophotometric, Griess after hydrazine reduction	4

Table 1.10: Methods used for determination of sulphate in precipitation.

Ion chromatography	1
Thorin	2
Isotope dilution	3
Turbidity/Nephelometry (barium sulphate)	4
Sulfonazo III	5

Table 1.11: Methods used for determination of nitrate in precipitation.

Ion chromatography	1
Spectrophotometric Griess method, Cd reduction	2
Spectrophotometric, Flow injection analysis	3
UV-spectrophotometric	4
Other spectrophotometric	5
Griess method, Hydrazine reduction	6
Nessler's method after reduction	7

Table 1.12: Methods used for determination of ammonium in precipitation.

Ion chromatography	1
Spectrophotometric, Nesslers method	2
Spectrophotometric, Chloramin T	3
Spectrophotometric, Flow injection analysis	4
Spectrophotometric, Indophenol method	5
As method 5, using sodium salicylate instead of phenol	6
Gas sensitive electrode	7

Table 1.13: Methods used for determination of strong acid in precipitation.

Coulometric titration method	1
As above, but automatic plotting of Gran's function	2
Alkali titration	3
Gran's plot titration	4
Acid and alkali titration	5
Calculated from pH	6

Table 1.14: Methods used for determination of magnesium and calcium in precipitation.

Ion chromatography	1
Atomic absorption method	2
As method 2 + addition of lanthanum	3
As method 2 + addition of cesium	4
As method 2 + addition of potassium	5
As method 2 + addition of lanthanum, cesium and 8-Chynolynol	6
Atomic emission method	7
Plasma emission spectrometry	8

Table 1.15: Methods used for determination of sodium and potassium in precipitation.

Ion chromatography	1
Atomic emission method	2
As method 2 + addition of cesium	3
As method 2 + addition of lanthanum, cesium and 8-Chynolynol	4
Atomic absorption method	5
As method 5 + addition of cesium	6
Plasma emission spectrometry	7

Table 1.16: Methods used for determination of chloride in precipitation.

Ion chromatography	1
Spectrophotometric, mercury thiocyanate/iron method	2
Ion selective electrode	3
Setpoint titration	4

Annex 2

Annual statistics on precipitation data

AT0002R		ILLMITZ		AUSTRIA					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.63	0.08	2.67	334.2	99.7	0	69	A	
Ca++	0.82	0.00	10.80	438.2	99.7	1	69	A	
Cl-	0.33	0.10	11.20	177.0	99.7	0	69	A	
Mg++	0.115	0.010	6.690	60.9	99.7	0	69	A	
NO3-	0.51	0.10	2.72	273.4	99.7	0	69	A	
pH	4.96	3.94	7.80	5856.4	100.0	0	77	A	
K+	0.09	0.01	2.07	48.5	99.7	0	69	A	
Precip	-	0.0	42.1	531.0	100.0	288	365		
Na+	0.18	0.03	18.30	97.9	99.7	0	69	A	
SO4-- corr	0.94	0.17	7.38	501.5	99.7	0	69	A	
SO4--	0.97	0.17	7.70	513.0	99.7	0	69	A	
AT0004R		ST. KOLOMAN		AUSTRIA					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.44	0.01	4.81	558.6	98.6	5	156	A	
Ca++	0.31	0.00	2.50	392.3	99.5	2	157	A	
Cl-	0.19	0.00	2.90	239.2	99.7	4	163	A	
Mg++	0.068	0.005	0.678	85.7	99.5	3	157	A	
NO3-	0.40	0.00	3.18	500.5	99.7	1	163	A	
pH	4.93	3.89	7.71	14627.7	100.0	0	179	A	
K+	0.06	0.00	0.88	71.4	99.5	14	157	A	
Precip	-	0.0	35.1	1254.9	100.0	186	365		
Na+	0.12	0.00	2.25	151.2	99.5	3	157	A	
SO4-- corr	0.39	0.03	4.65	484.9	99.7	0	163	A	
SO4--	0.40	0.06	4.66	500.9	99.7	0	163	A	
AT0005R		VORHEGG		AUSTRIA					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.44	0.01	3.05	463.3	98.2	5	102	A	
Ca++	0.33	0.00	10.80	348.1	99.3	8	105	A	
Cl-	0.16	0.00	7.10	169.1	99.4	14	108	A	
Mg++	0.049	0.005	0.670	51.4	99.3	6	105	A	
NO3-	0.31	0.03	1.66	329.0	99.4	0	108	A	
pH	4.89	4.00	7.41	13601.9	100.0	0	122	A	
K+	0.04	0.00	0.89	36.4	96.2	7	104	A	
Precip	-	0.0	33.4	1043.2	99.2	240	362		
Na+	0.06	0.00	0.53	64.3	99.3	2	105	A	
SO4-- corr	0.57	0.02	3.56	598.2	99.4	0	108	A	
SO4--	0.58	0.03	3.57	608.0	99.4	0	108	A	
CH0002R		PAYERNE		SWITZERLAND					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.47	0.08	3.51	372.7	98.9	0	117	A	
Ca++	0.46	0.01	4.50	363.8	98.5	4	116	A	
Cl-	0.19	0.03	3.51	153.5	98.9	10	117	A	
Mg++	0.041	0.005	0.349	32.3	98.6	19	116	B	
NO3-	0.28	0.04	1.38	216.7	98.9	0	117	A	
pH	5.22	4.00	7.03	4735.7	99.5	0	125	A	
K+	0.05	0.00	0.88	36.7	97.2	8	115	B	
Precip	-	0.0	37.9	787.7	99.7	223	364		
Na+	0.12	0.01	1.92	92.5	98.6	8	116	A	
SO4-- corr	0.32	0.03	1.95	252.5	98.9	0	117	A	
SO4--	0.33	0.03	1.99	260.6	98.9	0	117	A	

CH0003R TANIKON		SWITZERLAND					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA flag Samp flag
NH4+	0.38	0.03	5.32	395.0	98.1	0	123 A
Ca++	0.27	0.01	3.09	284.4	97.1	10	121 A
Cl-	0.17	0.03	1.84	175.5	98.1	20	123 A
Mg++	0.035	0.005	0.346	36.6	98.1	24	123 B
NO3-	0.28	0.03	5.53	289.1	98.1	0	123 A
pH	4.98	3.55	7.31	10921.8	98.9	0	138 A
K+	0.03	0.00	0.27	26.9	96.3	12	121 B
Precip	-	0.0	36.8	1038.7	99.7	212	364
Na+	0.12	0.01	0.89	119.2	95.5	11	121 A
SO4-- corr	0.27	0.01	5.52	279.0	98.1	2	123 A
SO4--	0.28	0.01	5.60	290.1	98.1	2	123 A
CH0004R CHAUMONT		SWITZERLAND					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA flag Samp flag
NH4+	0.24	0.01	2.05	215.5	98.6	3	118 A
Ca++	0.30	0.01	3.98	266.9	98.6	20	118 A
Cl-	0.21	0.03	2.89	185.6	98.6	12	118 A
Mg++	0.035	0.005	0.304	31.8	98.6	19	118 B
NO3-	0.21	0.03	1.20	187.5	98.6	0	118 A
pH	4.97	4.00	7.04	9698.5	99.4	0	133 A
K+	0.04	0.00	0.62	32.0	98.6	12	118 B
Precip	-	0.0	35.1	895.4	99.7	217	364
Na+	0.17	0.01	1.68	147.7	98.6	8	118 A
SO4-- corr	0.27	0.03	1.48	239.8	98.6	0	118 A
SO4--	0.28	0.03	1.50	251.5	98.6	0	118 A
CH0005R RIGI		SWITZERLAND					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA flag Samp flag
NH4+	0.44	0.01	4.36	474.9	98.7	1	136 A
Ca++	0.32	0.01	5.86	344.8	96.8	18	133 A
Cl-	0.14	0.03	3.02	148.0	98.7	24	136 A
Mg++	0.030	0.005	0.464	31.9	97.2	31	135 B
NO3-	0.34	0.04	4.16	367.2	98.7	0	136 A
pH	4.89	3.80	7.54	14065.4	99.5	0	154 A
K+	0.03	0.00	0.47	35.3	97.6	10	135 B
Precip	-	0.0	62.1	1078.8	99.7	196	364
Na+	0.12	0.01	1.97	125.9	98.7	18	136 A
SO4-- corr	0.34	0.01	4.38	362.5	98.7	2	136 A
SO4--	0.35	0.01	4.46	373.6	98.7	2	136 A
CZ0001R SVRATOUCH		CZECH REPUBLIC					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA flag Samp flag
NH4+	0.50	0.16	3.05	458.6	93.8	0	38 A W
Ca++	0.28	0.07	1.41	260.0	95.0	0	40 B W
Cl-	0.25	0.08	1.46	227.2	95.1	0	41 A W
Mg++	0.053	0.010	0.430	48.2	95.0	0	40 A W
NO3-	0.43	0.03	3.29	394.5	95.1	0	41 A W
pH	4.70	3.81	7.94	18434.7	98.6	0	55 A W
K+	0.18	0.01	5.50	165.0	95.0	0	40 B W
Precip	-	0.0	90.5	914.4	97.8	1	51 W
Na+	0.11	0.02	0.85	100.0	95.0	0	40 A W
SO4-- corr	0.63	0.19	2.70	573.3	95.1	0	41 A W
SO4--	0.65	0.21	2.74	590.5	95.1	0	41 A W

CZ0003R KOSETICE		CZECH REPUBLIC							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.57	0.01	5.34	357.8	96.8	0	145	A	
Ca++	0.21	0.00	2.70	130.8	96.8	7	144	B	
Cl-	0.32	0.00	6.40	199.3	96.1	1	138	A	
Mg++	0.036	0.000	0.530	22.8	96.6	1	143	A	
NO3-	0.47	0.11	4.02	298.4	96.1	0	138	A	
pH	4.66	3.82	7.37	13883.1	97.1	0	150	A	
K+	0.09	0.00	4.20	56.3	96.7	1	141	B	
Precip	-	0.0	31.8	627.8	100.0	180	365		
Na+	0.15	0.00	3.54	92.5	96.5	2	141	A	
SO4-- corr	0.58	0.07	4.43	361.6	96.1	0	138	A	
SO4--	0.59	0.08	4.46	371.3	96.1	0	138	A	
DE0001R WESTERLAND		GERMANY							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.54	0.00	6.05	449.1	97.2	16	166	B	
Ca++	0.72	0.10	5.00	600.3	97.2	0	165	A	
Cl-	13.59	0.40	124.00	11367.6	97.2	0	166	A	
Mg++	0.898	0.005	6.380	751.2	97.2	1	165	A	
NO3-	0.61	0.00	4.96	513.1	97.2	1	166	B	
pH	4.80	3.73	6.11	13099.7	97.8	0	179	A	
K+	0.30	0.00	5.61	252.9	97.2	2	165	A	
Precip	-	0.0	32.9	822.3	99.7	155	364		
Na+	7.09	0.24	68.72	5930.8	97.2	0	165	A	
SO4-- corr	0.67	0.09	5.16	559.5	97.2	0	166	A	
SO4--	1.23	0.34	6.60	1032.1	97.2	0	166	A	
DE0002R LANGENBRUGGE		GERMANY							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.63	0.00	10.58	486.5	98.5	1	164	B	
Ca++	0.50	0.10	7.70	390.6	98.5	0	162	A	
Cl-	0.83	0.10	11.30	645.4	98.5	0	163	A	
Mg++	0.132	0.005	1.670	102.4	98.5	2	162	A	
NO3-	0.58	0.17	9.18	445.7	98.5	0	163	B	
pH	5.08	4.16	6.79	6459.1	99.3	0	170	A	
K+	0.12	0.00	1.29	90.6	98.5	1	162	A	
Precip	-	0.0	55.5	774.4	99.5	139	363		
Na+	0.43	0.00	5.82	333.1	98.5	1	162	A	
SO4-- corr	0.60	0.14	9.12	464.0	98.5	0	163	A	
SO4--	0.64	0.14	9.32	496.5	98.5	0	163	A	
DE0003R SCHAUINSLAND		GERMANY							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.39	0.00	6.08	680.4	98.4	2	170	B	
Ca++	0.27	0.10	3.60	470.7	98.4	0	170	A	
Cl-	0.40	0.10	5.70	693.7	98.4	0	170	A	
Mg++	0.053	0.005	0.540	91.0	98.4	4	170	A	
NO3-	0.35	0.11	3.66	612.1	98.4	0	170	B	
pH	4.88	3.74	6.61	22634.8	98.7	0	181	A	
K+	0.08	0.00	1.97	139.8	98.4	4	170	A	
Precip	-	0.0	45.8	1727.1	100.0	157	365		
Na+	0.24	0.00	3.36	407.7	98.4	2	170	A	
SO4-- corr	0.44	0.13	5.14	759.7	98.4	0	170	A	
SO4--	0.46	0.14	5.17	799.4	98.4	0	170	A	

DE0004R DEUSELBACH		GERMANY					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA Samp flag flag
NH4+	0.41	0.00	6.32	307.6	99.4	1	188 B
Ca++	0.37	0.00	5.40	284.3	99.4	3	185 A
Cl-	0.66	0.10	11.10	504.1	99.4	0	188 A
Mg++	0.081	0.005	3.710	61.7	99.4	1	185 A
NO3-	0.42	0.12	4.04	320.4	99.4	0	188 B
pH	4.75	3.56	6.42	13419.8	98.9	0	166 A
K+	0.07	0.00	2.44	50.0	99.4	14	185 A
Precip	-	0.0	21.9	757.6	99.7	156	364
Na+	0.33	0.00	5.90	251.9	99.4	8	185 A
SO4-- corr	0.49	0.12	5.47	373.2	99.4	0	188 A
SO4--	0.53	0.14	5.83	400.6	99.4	0	188 A
DE0005R BROTJACKLIEGEL		GERMANY					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA Samp flag flag
NH4+	0.62	0.02	5.23	638.0	99.5	0	157 B
Ca++	0.28	0.00	3.50	291.2	99.5	2	158 A
Cl-	0.29	0.00	4.20	298.0	99.5	2	158 A
Mg++	0.034	0.005	0.310	35.6	99.5	30	158 A
NO3-	0.52	0.00	3.98	534.6	99.5	1	158 B
pH	4.83	3.84	6.78	15356.5	99.8	0	168 A
K+	0.13	0.00	1.64	136.7	99.5	11	158 A
Precip	-	0.0	32.6	1035.7	100.0	186	365
Na+	0.17	0.00	2.68	181.6	99.5	7	158 A
SO4-- corr	0.53	0.14	3.72	545.3	99.5	0	158 A
SO4--	0.54	0.18	3.74	562.1	99.5	0	158 A
DE0007R NEUGLOBSOW		GERMANY					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA Samp flag flag
NH4+	0.73	0.01	7.12	396.0	98.0	0	138 B
Ca++	0.36	0.00	1.90	195.7	97.9	2	137 A
Cl-	0.74	0.10	7.50	399.3	98.0	0	138 A
Mg++	0.069	0.005	0.470	37.3	97.9	6	137 A
NO3-	0.57	0.16	2.41	309.9	98.0	0	138 B
pH	4.73	3.88	7.00	10103.2	98.9	0	149 A
K+	0.11	0.00	3.02	62.0	97.9	10	137 A
Precip	-	0.0	24.6	542.2	100.0	174	365
Na+	0.39	0.00	3.71	211.3	97.9	1	137 A
SO4-- corr	0.67	0.03	3.83	364.1	98.0	0	138 A
SO4--	0.71	0.09	3.84	383.9	98.0	0	138 A
DE0008R SCHMUCKE		GERMANY					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA Samp flag flag
NH4+	0.53	0.00	5.63	790.5	98.6	2	195 B
Ca++	0.14	0.00	4.40	206.8	98.6	26	194 A
Cl-	0.45	0.10	7.60	673.2	98.7	0	197 A
Mg++	0.039	0.005	0.500	58.4	98.6	30	194 A
NO3-	0.49	0.14	3.52	742.8	98.7	0	197 B
pH	4.62	3.51	6.16	35846.3	98.7	0	201 A
K+	0.07	0.00	1.74	109.4	98.6	12	194 A
Precip	-	0.0	85.2	1502.5	100.0	73	365
Na+	0.26	0.02	4.46	384.5	98.6	0	194 A
SO4-- corr	0.52	0.12	10.06	783.7	98.7	0	197 A
SO4--	0.54	0.14	10.20	816.7	98.7	0	197 A

DE0009R		ZINGST		GERMANY					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.55	0.00	6.35	359.1	99.0	4	158	B	
Ca++	0.68	0.10	7.40	448.4	99.0	0	157	A	
Cl-	1.93	0.10	25.40	1273.4	99.1	0	160	A	
Mg++	0.223	0.005	1.900	146.9	99.0	1	157	A	
NO3-	0.57	0.08	4.44	378.6	99.1	0	160	B	
pH	4.96	3.96	6.94	7304.1	99.5	0	168	A	
K+	0.14	0.00	2.84	90.1	99.0	6	157	A	
Precip	-	0.0	28.6	659.4	100.0	169	365		
Na+	1.05	0.00	14.04	695.9	99.0	1	157	A	
SO4-- corr	0.77	0.08	6.22	505.6	99.1	0	160	A	
SO4--	0.87	0.11	6.32	570.9	99.1	0	160	A	
DK0003R		TANGE		DENMARK					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.47	0.00	4.73	385.2	98.2	1	163	A	
Ca++	0.12	0.00	1.83	101.1	95.7	1	143	A	
Cl-	2.53	0.08	197.00	2064.6	98.1	0	180	A	
Mg++	0.164	0.010	2.290	134.2	93.4	0	135	B	
NO3-	0.38	0.03	5.53	313.3	99.2	0	184	A	
pH	4.82	3.83	6.94	12499.2	96.5	0	135	A	
K+	0.07	0.01	0.99	55.3	97.2	0	143	B	
Precip	-	0.0	34.3	817.1	100.0	144	365		
Na+	1.38	0.05	18.59	1129.0	97.0	0	142	A	
SO4-- corr	0.43	0.00	3.51	347.4	99.2	1	184	A	
SO4--	0.54	0.08	11.90	442.6	99.2	0	184	A	
DK0005R		KELDSNOR		DENMARK					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.55	0.00	4.91	346.3	96.9	0	163	A	
Ca++	0.28	0.02	3.90	179.1	97.7	0	153	A	
Cl-	3.55	0.16	21.00	2257.1	97.2	0	180	A	
Mg++	0.236	0.020	1.480	149.8	97.5	0	152	B	
NO3-	0.52	0.02	3.65	329.6	99.4	0	183	A	
pH	4.87	4.05	7.00	8575.1	90.2	0	120	A	
K+	0.23	0.02	2.19	143.4	95.7	0	149	B	
Precip	-	0.0	16.7	635.3	100.0	114	365		
Na+	2.08	0.11	12.30	1319.5	96.9	0	150	A	
SO4-- corr	0.50	-0.36	5.48	319.7	99.4	1	183	A	
SO4--	0.67	0.05	5.74	425.4	99.4	0	183	A	
DK0008R		ANHOLT		DENMARK					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.35	0.00	1.84	247.4	99.9	1	51	A	W
Ca++	0.23	0.06	1.12	161.1	99.9	0	51	A	W
Cl-	5.54	0.31	34.60	3955.8	99.9	0	51	A	W
Mg++	0.375	0.040	2.420	267.6	99.9	0	51	B	W
NO3-	0.51	0.05	2.09	361.2	99.9	0	51	A	W
pH	4.61	3.00	6.26	17725.2	99.9	0	53	A	W
K+	0.16	0.04	2.56	116.9	99.9	0	51	B	W
Precip	-	0.0	51.4	713.7	97.8	7	62		
Na+	3.26	0.41	21.01	2329.8	99.9	0	51	A	W
SO4-- corr	0.43	0.09	1.85	309.6	99.9	0	51	A	W
SO4-- corr	-	0.09	1.85	-	-	0	51	A	W
SO4--	0.70	0.26	2.31	501.8	99.9	0	51	A	W

EE0009R LAHEMAA ESTONIA

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.16	0.00	2.40	134.5	96.9	11	126	A	
Ca++	1.79	0.10	22.80	1502.2	98.0	0	132	D	
Cl-	0.80	0.10	6.00	672.2	98.8	0	141	B	
Mg++	0.087	0.005	1.500	72.6	98.0	5	132	C	
NO3-	0.23	0.00	2.10	192.3	98.8	29	141	A	
pH	5.02	3.99	8.09	8008.7	100.0	0	152	A	
K+	0.16	0.05	1.65	137.7	98.0	58	132	C	
Precip	-	0.0	43.3	838.0	100.0	214	365		
Na+	0.28	0.04	3.55	239.0	98.0	23	132	B	
SO4-- corr	0.51	-0.02	5.59	428.1	98.8	2	141	A	
SO4--	0.55	0.00	5.71	462.7	98.8	1	141	A	

EE0011R VILSANDI ESTONIA

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.38	0.00	2.62	186.1	100.0	2	52	A	
Ca++	0.48	0.10	2.60	236.1	98.9	0	49	D	
Cl-	1.53	0.10	3.50	749.4	99.8	0	51	B	
Mg++	0.126	0.005	0.460	62.0	98.9	1	49	C	
NO3-	0.38	0.00	1.59	184.8	99.8	7	51	A	
pH	3.98	2.39	6.95	51531.4	100.0	0	52	A	
K+	0.26	0.05	1.89	130.3	98.9	15	49	C	
Precip	-	0.0	34.6	491.2	100.0	313	365		
Na+	0.69	0.00	1.81	340.2	98.9	1	49	B	
SO4-- corr	0.88	0.03	3.91	434.4	99.8	0	51	A	
SO4--	0.96	0.08	4.02	471.3	99.8	0	51	A	

ES0001R TOLEDO SPAIN

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.28	0.01	4.65	157.0	98.4	11	72	B	
Ca++	0.45	0.07	8.50	254.8	94.4	0	66	A	
Cl-	0.83	0.42	6.81	475.5	98.6	0	74	A	
Mg++	0.062	0.010	0.760	35.3	94.4	0	66	A	
NO3-	0.29	0.00	2.88	166.1	98.6	2	74	A	
pH	5.63	4.65	7.31	1326.5	100.0	0	79	A	
K+	0.07	0.03	1.00	42.5	94.4	36	66	A	
Precip	-	0.0	31.1	571.5	100.0	286	365		
Na+	0.32	0.03	3.71	182.7	94.4	0	66	A	
SO4-- corr	0.56	0.22	6.47	320.8	98.6	0	74	A	
SO4--	0.60	0.24	6.59	341.9	98.6	0	74	A	

ES0003R ROQUETAS SPAIN

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.44	0.01	3.15	180.5	99.0	5	42	B	
Ca++	1.91	0.71	23.20	787.2	96.9	0	35	A	
Cl-	1.40	0.49	21.30	578.3	99.5	0	46	A	
Mg++	0.282	0.110	4.900	116.0	96.9	0	35	A	
NO3-	0.58	0.00	8.96	240.4	99.6	1	47	A	
pH	6.24	4.28	7.67	236.6	100.0	0	51	A	
K+	0.15	0.03	4.80	61.5	96.9	8	35	A	
Precip	-	0.0	53.1	411.6	100.0	314	365		
Na+	0.76	0.10	12.80	314.2	96.9	0	35	A	
SO4-- corr	0.82	0.16	8.31	337.9	99.5	0	46	A	
SO4--	0.90	0.20	9.38	369.1	99.6	0	47	A	

ES0004R		LOGRONO		SPAIN		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.96	0.06	6.79	356.8	98.1	0	62	B		
Ca++	1.60	0.32	5.20	597.4	96.9	0	57	A		
Cl-	1.29	0.10	9.51	482.3	98.0	0	61	A		
Mg++	0.133	0.040	0.620	49.5	96.9	0	57	A		
NO3-	0.55	0.10	2.82	203.7	98.3	0	63	A		
pH	6.44	6.13	7.33	134.7	98.6	0	64	A		
K+	0.23	0.03	1.30	84.4	96.9	2	57	A		
Precip	-	0.0	28.6	372.3	100.0	299	365			
Na+	0.66	0.12	6.00	245.7	96.9	0	57	A		
SO4-- corr	1.21	0.31	9.92	451.1	51.1	0	34	A		
SO4--	1.31	0.34	10.10	487.4	51.5	0	36	A		
ES0005R		NOIA		SPAIN		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.13	0.01	4.34	156.1	91.9	35	112	B		
Ca++	0.37	0.05	5.19	454.5	90.3	0	107	A		
Cl-	4.20	0.46	29.04	5114.5	91.9	0	114	A		
Mg++	0.297	0.040	1.900	361.9	90.3	0	107	A		
NO3-	0.28	0.00	3.99	338.9	92.6	10	117	A		
pH	5.14	4.31	7.20	8795.7	92.6	0	119	A		
K+	0.17	0.03	2.90	205.1	90.3	17	107	A		
Precip	-	0.0	77.3	1219.2	100.0	279	365			
Na+	2.76	0.40	16.10	3362.1	90.3	0	107	A		
SO4-- corr	0.62	-0.30	9.84	759.3	91.9	3	114	A		
SO4--	0.83	0.03	10.64	1011.1	92.6	1	117	A		
ES0006R		MAHON		SPAIN		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.55	0.07	1.25	16.7	100.0	0	5	B		
Ca++	27.21	4.60	61.50	819.0	100.0	0	5	A		
Cl-	240.11	79.61	740.74	7227.3	100.0	0	5	A		
Mg++	24.915	5.500	43.000	749.9	100.0	0	5	A		
NO3-	3.15	0.93	8.25	94.9	100.0	0	5	A		
pH	7.17	6.60	7.78	2.0	100.0	0	5	A		
K+	7.26	2.10	12.00	218.4	100.0	0	5	A		
Precip	-	0.0	17.6	30.1	100.0	360	365			
Na+	204.22	38.25	395.00	6147.0	100.0	0	5	A		
SO4-- corr	-2.36	-10.95	16.73	-71.1	100.0	1	5	A		
SO4--	14.15	4.12	46.61	425.9	100.0	0	5	A		
ES0007R		VIZNAR		SPAIN		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.20	0.01	2.05	82.8	97.9	19	47	B		
Ca++	1.12	0.27	11.90	465.6	97.6	0	45	A		
Cl-	0.86	0.45	2.83	357.1	98.7	0	51	A		
Mg++	0.244	0.090	1.900	101.1	97.6	0	45	A		
NO3-	0.38	0.13	2.91	159.9	98.7	0	51	A		
pH	6.24	5.89	7.40	239.6	98.9	0	52	A		
K+	0.13	0.03	1.18	53.5	97.6	7	45	A		
Precip	-	0.0	33.9	414.8	100.0	312	365			
Na+	0.43	0.08	2.16	178.3	97.6	0	45	A		
SO4-- corr	0.56	0.20	3.14	234.5	98.7	0	51	A		
SO4--	0.62	0.24	3.27	255.9	98.7	0	51	A		

FI0004R AHTARI FINLAND

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.13	0.00	1.36	99.5	99.2	5	169	A	
Ca++	0.07	0.00	1.64	50.4	99.2	3	169	A	
Cl-	0.16	0.00	2.75	115.9	99.2	1	169	A	
Mg++	0.018	0.002	0.447	13.2	99.2	14	169	A	
NO3-	0.20	0.03	1.95	150.3	99.2	0	169	A	
pH	4.76	3.96	6.03	12939.2	99.7	0	187	A	
K+	0.09	0.00	2.37	67.0	98.4	1	169	A	
Precip	-	0.0	32.9	692.6	100.0	160	365		
Precip off	-	0.0	26.9	747.2	100.0	142	365		
Na+	0.09	0.00	1.65	64.9	99.2	0	169	A	
SO4-- corr	0.24	0.02	2.05	176.7	99.2	0	169	A	
SO4--	0.25	0.03	2.07	182.7	99.2	0	169	A	

FI0009R UTO FINLAND

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.33	0.00	2.35	205.2	98.6	1	107	A	
Ca++	0.30	0.01	4.09	183.4	98.6	0	107	A	
Cl-	3.61	0.16	61.57	2238.3	98.6	0	107	A	
Mg++	0.264	0.007	4.759	163.7	98.6	0	107	A	
NO3-	0.53	0.05	6.09	330.7	98.6	0	107	A	
pH	4.44	3.60	6.02	22571.5	99.3	0	117	A	
K+	0.19	0.03	2.21	115.9	72.9	0	107	A	
Precip	-	0.0	18.3	270.2	100.0	232	365		
Precip off	-	0.0	32.9	619.9	100.0	176	365		
Na+	2.08	0.08	28.64	1289.3	98.6	0	107	A	
SO4-- corr	0.58	-0.04	4.48	358.5	98.6	1	107	A	
SO4--	0.75	0.05	5.22	466.8	98.6	0	107	A	

FI0017R VIROLAHTI II FINLAND

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.35	0.01	2.08	269.2	99.2	0	144	A	
Ca++	0.29	0.01	8.40	225.0	99.2	0	144	A	
Cl-	0.45	0.04	10.79	346.3	99.2	0	144	A	
Mg++	0.055	0.002	0.794	42.1	99.2	2	144	A	
NO3-	0.31	0.04	1.93	241.2	99.2	0	144	A	
pH	4.80	3.86	6.94	12047.5	99.4	0	152	A	
K+	0.20	0.02	2.71	155.4	98.5	0	144	A	
Precip	-	0.0	33.8	643.4	100.0	195	365		
Precip off	-	0.0	36.2	767.4	100.0	178	365		
Na+	0.25	0.01	5.84	189.3	99.2	0	144	A	
SO4-- corr	0.50	0.05	6.82	384.7	99.2	0	144	A	
SO4--	0.52	0.06	6.84	402.1	99.2	0	144	A	

FI0022R OULANKA FINLAND

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.08	0.00	5.52	61.3	99.8	14	185	A	
Ca++	0.04	0.00	2.81	28.5	99.8	18	185	A	
Cl-	0.09	0.01	2.78	69.3	99.8	0	185	A	
Mg++	0.009	0.002	0.320	6.9	99.8	38	185	A	
NO3-	0.12	0.00	3.49	98.1	99.8	1	185	A	
pH	4.78	3.53	5.56	13388.8	99.9	0	188	A	
K+	0.03	0.00	0.64	25.0	99.1	17	185	A	
Precip	-	0.0	29.0	679.8	100.0	170	365		
Precip off	-	0.0	31.6	797.3	100.0	137	365		
Na+	0.04	0.00	1.64	34.9	99.8	4	185	A	
SO4-- corr	0.19	0.02	9.70	155.6	99.8	0	185	A	
SO4--	0.20	0.02	9.74	158.7	99.8	0	185	A	

FR0003R		LA CROUZILLE		FRANCE		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.30	0.03	1.87	232.4	97.0	0	116	A		
Ca++	0.20	0.02	7.77	159.6	96.8	0	114	A		
Cl-	1.19	0.05	8.31	931.6	96.8	0	114	A		
Mg++	0.119	0.020	0.620	93.7	96.8	0	114	A		
NO3-	0.23	0.05	1.89	182.2	96.8	0	114	A		
pH	5.03	4.07	7.18	7340.0	97.9	0	121	A		
K+	0.09	0.02	1.32	68.1	96.8	0	114	A		
Precip	-	0.0	30.6	785.2	100.0	227	365			
Na+	0.71	0.02	5.27	560.7	96.8	0	114	A		
SO4-- corr	0.35	0.05	1.77	271.9	96.8	0	114	A		
SO4--	0.41	0.05	1.86	319.2	96.8	0	114	A		
FR0005R		LA HAGUE		FRANCE		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.37	0.03	10.09	393.4	92.9	0	131	A		
Ca++	0.43	0.05	12.76	456.1	92.5	0	127	A		
Cl-	10.78	0.51	82.19	11458.0	92.5	0	127	A		
Mg++	0.790	0.060	6.380	839.9	92.5	0	127	A		
NO3-	0.30	0.05	10.20	321.9	92.5	0	127	A		
pH	4.96	3.52	6.65	11635.0	93.9	0	139	A		
K+	0.26	0.02	3.03	276.2	92.5	0	127	A		
Precip	-	0.0	42.1	1062.9	100.0	196	365			
Na+	6.24	0.19	46.30	6638.1	92.5	0	127	A		
SO4-- corr	0.33	-0.04	7.83	348.6	92.5	2	127	A		
SO4--	0.85	0.12	10.21	902.7	92.5	0	127	A		
FR0008R		DONON		FRANCE		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.29	0.03	4.66	454.2	89.8	0	136	A		
Ca++	0.15	0.02	2.67	234.8	89.6	0	134	A		
Cl-	0.47	0.05	10.15	733.0	89.6	0	134	A		
Mg++	0.046	0.020	0.570	71.6	89.6	0	134	A		
NO3-	0.26	0.05	3.25	398.3	89.6	0	134	A		
pH	4.88	3.87	6.57	20664.8	92.3	0	147	A		
K+	0.05	0.01	1.25	79.9	89.6	1	134	A		
Precip	-	0.0	98.0	1526.3	99.7	179	364			
Na+	0.27	0.02	5.92	425.8	89.6	0	134	A		
SO4-- corr	0.31	0.06	2.86	474.9	89.6	0	134	A		
SO4--	0.33	0.07	2.92	511.8	89.6	0	134	A		
FR0009R		REVIN		FRANCE		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.40	0.03	6.85	590.0	95.2	0	149	A		
Ca++	0.19	0.02	4.18	272.6	95.2	0	148	A		
Cl-	0.88	0.05	9.73	1287.8	95.2	0	148	A		
Mg++	0.076	0.020	0.600	112.1	95.2	0	148	A		
NO3-	0.30	0.06	5.84	439.2	95.2	0	148	A		
pH	4.85	3.55	6.62	20724.4	96.7	0	164	A		
K+	0.05	0.01	0.91	69.1	95.2	1	148	A		
Precip	-	0.0	71.0	1467.5	100.0	164	365			
Na+	0.52	0.02	4.72	759.6	95.2	0	148	A		
SO4-- corr	0.41	0.08	8.44	599.6	95.2	0	148	A		
SO4--	0.45	0.08	8.55	665.6	95.2	0	148	A		

FR0010R MORVAN FRANCE

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.30	0.03	3.45	359.0	94.3	0	138	A	
Ca++	0.23	0.01	10.54	272.2	94.2	1	137	A	
Cl-	0.54	0.05	5.38	643.3	94.2	0	137	A	
Mg++	0.068	0.020	1.260	80.6	94.2	0	137	A	
NO3-	0.25	0.04	2.21	296.8	94.2	0	137	A	
pH	4.95	4.08	7.02	13245.6	97.1	0	150	A	
K+	0.07	0.01	1.66	82.9	94.2	1	137	A	
Precip	-	0.0	40.5	1188.4	100.0	193	365		
Na+	0.32	0.02	3.10	379.9	94.2	0	137	A	
SO4-- corr	0.31	0.02	3.08	368.4	94.2	0	137	A	
SO4--	0.34	0.05	3.28	402.1	94.2	0	137	A	

FR0011R BONNEVAUX FRANCE

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.41	0.09	2.28	73.3	97.3	0	21	A	
Ca++	0.21	0.02	0.86	37.2	97.3	0	21	A	
Cl-	0.69	0.05	3.55	123.7	97.3	0	21	A	
Mg++	0.069	0.010	0.310	12.5	97.3	1	21	A	
NO3-	0.24	0.09	1.28	43.8	97.3	0	21	A	
pH	5.17	4.40	6.12	1222.4	97.8	0	23	A	
K+	0.03	0.02	0.13	5.6	97.3	0	21	A	
Precip	-	0.0	19.0	180.3	100.0	337	365		
Na+	0.41	0.03	2.09	74.2	97.3	0	21	A	
SO4-- corr	0.25	0.08	1.62	45.6	97.3	0	21	A	
SO4--	0.29	0.10	1.63	51.9	97.3	0	21	A	

FR0012R IRATY FRANCE

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.35	0.03	12.83	506.5	97.8	0	156	A	
Ca++	0.41	0.02	11.85	587.7	96.0	0	154	A	
Cl-	1.17	0.05	11.29	1688.2	96.0	0	154	A	
Mg++	0.126	0.020	0.860	181.9	96.0	0	154	A	
NO3-	0.20	0.02	2.26	294.7	96.0	0	154	A	
pH	5.12	4.12	7.53	11002.2	99.2	0	168	A	
K+	0.10	0.01	2.85	142.6	96.0	1	154	A	
Precip	-	0.0	53.0	1445.3	100.0	183	365		
Na+	0.72	0.02	7.22	1041.3	96.0	0	154	A	
SO4-- corr	0.34	0.04	3.46	498.3	96.0	0	154	A	
SO4--	0.41	0.06	3.56	585.7	96.0	0	154	A	

FR0013R PEYRUSSE VIEILLE FRANCE

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.37	0.03	1.93	324.6	98.1	0	131	A	
Ca++	0.55	0.04	5.29	481.4	97.8	0	127	A	
Cl-	1.70	0.10	20.47	1506.1	97.8	0	127	A	
Mg++	0.153	0.020	1.410	135.5	97.8	0	127	A	
NO3-	0.28	0.02	1.99	247.3	97.8	0	127	A	
pH	5.00	3.95	6.81	8787.2	98.5	0	136	A	
K+	0.14	0.02	0.92	125.9	97.8	0	127	A	
Precip	-	0.0	56.5	862.6	99.7	211	364		
Na+	1.03	0.04	11.86	910.5	97.8	0	127	A	
SO4-- corr	0.48	0.02	2.90	423.4	97.8	0	127	A	
SO4--	0.57	0.15	3.37	500.1	97.8	0	127	A	

FR0014R		MONTANDON		FRANCE					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.29	0.03	2.87	298.0	94.0	0	107	A	
Ca++	0.27	0.02	4.27	281.5	93.9	0	106	A	
Cl-	0.33	0.05	3.82	342.5	93.9	0	106	A	
Mg++	0.046	0.020	0.590	48.2	96.9	0	107	A	
NO3-	0.28	0.05	2.32	293.5	93.9	0	106	A	
pH	4.89	4.13	6.87	13492.9	94.4	0	114	A	
K+	0.04	0.02	0.81	44.2	93.9	0	106	A	
Precip	-	0.0	88.5	1009.6	99.7	211	364		
Na+	0.20	0.02	2.14	204.5	93.9	0	106	A	
SO4-- corr	0.35	0.05	2.53	363.4	93.9	0	106	A	
SO4--	0.37	0.05	2.56	381.9	93.9	0	106	A	
GB0002R		ESKDALEMUIR		UNITED KINGDOM					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.22	0.01	4.43	321.4	99.8	11	233	B	
Ca++	0.22	0.03	4.14	322.8	99.8	7	233	B	
Cl-	2.93	0.25	78.41	4223.0	93.0	0	226	A	
Mg++	0.307	0.025	6.622	442.6	99.8	22	233	B	
NO3-	0.19	0.01	5.21	271.1	99.8	12	233	A	
pH	4.85	3.61	6.62	20318.7	99.8	0	233	A	
K+	0.07	0.03	1.64	94.8	99.8	116	233	A	
Precip	-	0.0	31.6	1443.4	100.0	99	365		
Na+	1.65	0.01	45.27	2383.0	93.0	1	226	A	
SO4-- corr	0.29	-0.12	5.32	422.4	99.8	4	233	A	
SO4--	0.43	0.02	5.62	619.6	99.8	3	233	A	
GB0006R		LOUGH NAVAR		UNITED KINGDOM					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.13	0.01	2.31	192.3	98.5	36	235	B	
Ca++	0.47	0.03	24.10	712.0	98.5	1	235	B	
Cl-	4.59	0.20	77.78	6962.7	97.9	0	233	A	
Mg++	0.544	0.025	7.497	824.5	98.5	5	235	B	
NO3-	0.08	0.01	4.62	124.2	98.5	77	235	A	
pH	5.22	3.48	6.83	9131.3	98.5	0	235	A	
K+	0.10	0.03	1.60	153.2	98.5	100	235	A	
Precip	-	0.0	30.2	1515.5	100.0	107	365		
Na+	2.64	0.01	45.20	3994.4	97.9	1	233	A	
SO4-- corr	0.16	-0.17	6.01	247.9	98.5	17	235	A	
SO4--	0.39	0.02	6.94	594.4	98.5	4	235	A	
GB0013R		YARNER WOOD		UNITED KINGDOM					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.24	0.01	4.55	277.1	97.2	13	172	B	
Ca++	0.40	0.05	3.33	467.7	97.2	0	172	B	
Cl-	4.80	0.26	122.21	5560.9	97.2	0	172	A	
Mg++	0.556	0.025	10.928	644.1	97.2	1	172	B	
NO3-	0.19	0.01	4.59	220.6	97.2	16	172	A	
pH	5.01	3.88	6.76	11385.7	99.9	0	173	A	
K+	0.11	0.03	2.40	129.4	97.2	42	172	A	
Precip	-	0.0	32.3	1158.6	100.0	177	365		
Na+	2.77	0.06	67.55	3210.1	97.2	0	172	A	
SO4-- corr	0.28	-0.07	3.27	323.2	97.2	6	172	A	
SO4--	0.51	0.02	5.78	595.5	97.2	2	172	A	

GB0014R HIGH MUFFLES		UNITED KINGDOM					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA flag Samp flag
NH4+	0.53	0.01	10.91	430.6	96.5	2	167 B
Ca++	0.32	0.03	27.35	260.6	96.5	1	167 B
Cl-	4.17	0.30	78.18	3412.5	88.7	0	154 A
Mg++	0.369	0.025	9.003	301.8	96.5	12	167 B
NO3-	0.46	0.05	7.83	373.7	96.5	0	167 A
pH	4.45	3.31	6.78	28714.7	96.6	0	168 A
K+	0.11	0.03	10.22	86.7	96.5	52	167 A
Precip	-	0.0	31.0	817.6	100.0	164	365
Na+	2.33	0.10	48.13	1902.1	88.7	0	154 A
SO4-- corr	0.70	0.02	22.79	574.5	96.5	0	167 A
SO4--	0.89	0.20	24.90	727.4	96.5	0	167 A
GB0015R STRATHVAICH DAM		UNITED KINGDOM					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA flag Samp flag
NH4+	0.08	0.01	3.81	78.8	99.8	79	199 B
Ca++	0.35	0.03	7.52	346.4	99.8	5	199 B
Cl-	4.44	0.03	43.46	4410.8	97.9	1	197 A
Mg++	0.504	0.025	5.170	501.1	99.8	8	199 B
NO3-	0.08	0.01	1.92	83.5	99.8	53	199 A
pH	5.09	3.65	7.11	8133.0	99.8	0	199 A
K+	0.10	0.03	1.15	104.4	99.8	65	199 A
Precip	-	0.0	31.1	993.5	100.0	132	365
Na+	2.54	0.01	26.00	2519.6	97.9	3	197 A
SO4-- corr	0.13	-0.14	3.37	133.5	99.8	14	199 A
SO4--	0.35	0.02	3.47	345.3	99.8	6	199 A
HU0002R K-PUSZTA		HUNGARY					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA flag Samp flag
H+	-19.	-140.	46.	-11105.	98.1	45	61 A
NH4+	0.42	0.02	2.40	246.9	100.0	5	71 B
Ca++	0.61	0.16	2.10	354.4	99.8	0	69 B
Cl-	0.75	0.05	5.65	437.5	100.0	1	71 B
Mg++	0.233	0.060	1.290	136.2	99.2	0	68 A
NO3-	0.31	0.06	1.22	180.1	100.0	0	71 A
pH	5.83	4.71	7.06	861.8	99.7	0	69 A
K+	0.13	0.03	1.27	75.7	99.9	13	70 B
Precip	-	0.0	44.2	584.2	100.0	294	365
Precip off	-	0.0	42.5	381.4	49.9	144	182
Na+	0.60	0.14	2.35	348.9	99.9	0	70 B
SO4-- corr	0.75	0.13	4.27	435.5	100.0	0	71 B
SO4--	0.81	0.17	4.37	470.8	100.0	0	71 B
IE0002R TURLOUGH HILL		IRELAND					
January 1998 - December 1998							
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl QA flag Samp flag
NH4+	0.37	0.00	6.10	676.6	99.0	1	238 A
Ca++	0.17	0.00	8.70	316.3	99.0	12	237 B
Cl-	3.51	0.10	91.30	6403.9	99.0	0	237 B
Mg++	0.246	0.000	6.470	449.7	99.0	1	237 B
NO3-	0.18	0.00	8.45	334.2	99.0	4	238 A
pH	5.25	3.90	6.90	10223.3	99.8	0	225 B
K+	0.12	0.00	2.39	216.6	99.0	11	237 B
Precip	-	0.1	57.5	1824.7	100.0	129	365
Na+	1.98	0.03	49.29	3613.0	99.0	0	238 A
SO4-- corr	0.29	-0.08	4.07	538.6	98.9	2	230 A
SO4--	0.46	0.00	5.15	835.1	99.1	1	231 A

IE0003R		THE BURREN		IRELAND		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.26	0.00	5.27	305.3	100.0	15	193	A		
Ca++	0.38	0.00	5.70	452.5	100.0	6	193	B		
Cl-	10.12	0.00	182.90	12001.8	100.0	2	193	B		
Mg++	0.700	0.005	12.377	829.5	100.0	0	193	B		
NO3-	0.12	0.00	4.13	144.4	100.0	3	193	A		
pH	5.23	3.90	6.70	7026.1	99.9	0	189	B		
K+	0.12	0.00	1.93	146.9	100.0	3	193	B		
Precip	-	0.2	32.4	1185.7	100.0	172	365			
Na+	5.75	0.13	101.41	6820.4	100.0	0	193	A		
SO4-- corr	0.30	-1.79	6.61	351.8	100.0	13	193	A		
SO4--	0.77	0.00	9.21	915.6	100.0	9	193	A		
IE0004R		RIDGE OF CAPARD		IRELAND		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.46	0.00	12.62	629.4	100.0	1	191	A		
Ca++	0.23	0.00	3.30	313.9	100.0	8	191	B		
Cl-	3.39	0.00	96.60	4601.7	100.0	1	191	B		
Mg++	0.260	0.000	6.710	352.1	100.0	1	191	B		
NO3-	0.17	0.00	4.01	229.6	100.0	1	191	A		
pH	5.17	3.80	7.00	9171.0	100.0	0	191	B		
K+	0.07	0.00	0.99	90.1	100.0	13	191	B		
Precip	-	0.5	34.3	1356.8	100.0	174	365			
Na+	2.03	0.07	55.29	2758.2	100.0	0	191	A		
SO4-- corr	0.31	-0.03	8.36	416.2	100.0	1	191	A		
SO4--	0.47	0.00	8.61	643.5	100.0	1	191	A		
IS0002R		IRAF OSS		ICELAND		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
pH	5.88	5.20	8.50	2182.2	100.0	0	155	A		
Precip	-	0.0	103.1	1641.4	100.0	210	365			
Na+	3.55	0.10	110.70	5825.5	100.0	0	155	A		
SO4-- corr	-0.15	-6.66	12.89	-251.7	100.0	118	155	A		
SO4--	0.14	0.02	15.00	235.9	100.0	0	155	A		
IT0001R		MONTELIBRETTI		ITALY		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.34	0.00	3.72	352.0	100.0	1	32	B		
Ca++	1.70	0.37	12.06	1740.7	100.0	0	32	D		
Cl-	2.83	0.20	35.93	2891.7	100.0	0	32	B		
Mg++	0.280	0.030	2.410	286.0	100.0	0	32	A		
NO3-	0.44	0.04	4.90	452.8	100.0	0	32	A		
pH	4.26	3.62	6.30	55746.4	100.0	0	32	D		
K+	0.30	0.05	3.83	304.3	100.0	0	32	B		
Precip	-	0.0	85.4	1021.8	100.0	333	365			
Na+	1.62	0.10	19.82	1655.6	100.0	0	32	A		
SO4-- corr	0.64	0.18	4.72	657.8	100.0	0	32	A		
SO4--	0.79	0.20	6.38	801.9	100.0	0	32	A		

IT0004R	ISPRA	ITALY							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.94	0.05	4.98	1533.9	100.0	0	86	A	
Ca++	0.38	0.01	5.20	619.3	100.0	0	86	A	
Cl-	0.34	0.06	5.24	546.7	100.0	0	86	A	
Mg++	0.047	0.001	0.676	77.0	100.0	0	86	A	
NO3-	1.28	0.10	9.47	2076.0	100.0	0	86	A	
pH	4.58	3.63	6.64	42430.4	100.0	0	86	A	
K+	0.08	0.02	0.81	121.9	100.0	0	86	A	
Precip	-	0.0	135.5	1624.4	100.0	279	365		
Na+	0.19	0.01	2.95	300.0	100.0	0	86	A	
SO4-- corr	1.13	0.11	5.59	1841.6	100.0	0	86	A	
SO4--	1.15	0.11	5.60	1871.3	100.0	0	86	A	
LT0015R PREILA LITHUANIA									
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.38	0.03	2.73	224.9	100.0	0	41	A	W
Ca++	1.16	0.65	3.70	677.8	100.0	0	41	A	W
Cl-	5.48	0.59	42.80	3196.3	100.0	0	41	B	W
NO3-	0.51	0.17	4.15	297.8	100.0	0	41	A	W
pH	5.23	4.00	6.32	3449.6	100.0	0	49	A	W
K+	0.24	0.05	2.06	140.4	100.0	0	41	A	W
Precip	-	0.6	69.4	583.4	99.5	10	51		W
Na+	3.13	0.30	24.80	1828.1	100.0	0	41	A	W
SO4-- corr	0.62	0.18	3.80	359.6	100.0	0	41	A	W
SO4--	0.88	0.26	4.00	512.6	100.0	0	41	A	W
LV0010R RUCAVA LATVIA									
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.31	0.01	2.43	265.6	97.8	3	137	A	
Ca++	0.27	0.01	2.96	228.9	95.4	0	132	B	
Cl-	0.86	0.06	10.26	737.5	99.9	0	140	A	
Mg++	0.084	0.010	0.480	71.6	92.7	0	132	B	
NO3-	0.30	0.01	1.80	259.1	90.7	0	133	B	
pH	4.38	3.38	6.52	36161.3	100.0	0	141	A	
K+	0.09	0.01	1.03	76.0	82.2	0	120	A	
Precip	-	0.0	27.1	857.2	100.0	224	365		
Na+	0.50	0.03	4.80	431.4	93.4	0	133	A	
SO4-- corr	0.38	-0.03	4.34	321.5	99.9	1	140	C	
SO4--	0.42	0.07	4.40	358.6	99.9	0	140	C	
LV0016R ZOSENI LATVIA									
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.34	0.01	3.19	320.1	97.3	0	174	A	
Ca++	0.84	0.10	5.25	780.7	93.4	0	143	B	
Cl-	0.70	0.06	4.76	651.9	94.2	0	167	A	
Mg++	0.285	0.040	1.620	264.4	92.5	0	139	B	
NO3-	0.42	0.10	4.02	390.9	97.7	0	169	B	
pH	5.37	3.96	6.78	3968.0	99.8	0	204	A	
K+	0.22	0.01	3.61	206.9	80.3	0	134	A	
Precip	-	0.0	44.3	926.7	99.7	157	364		
Na+	0.27	0.02	4.04	246.7	88.3	0	145	A	
SO4-- corr	0.51	-0.14	2.21	475.6	97.2	2	168	C	
SO4--	0.55	0.12	2.23	512.0	97.7	0	169	C	

NL0009R		KOLLUMERWAARD		NETHERLANDS					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
H+	1.	-424.	114.	1054.	99.7	87	150	-	
NH4+	0.80	0.00	2.96	648.5	98.1	1	127	A	
Ca++	0.27	0.06	1.96	221.1	96.6	0	115	A	
Cl-	3.86	0.16	45.26	3145.2	99.3	0	142	A	
Mg++	0.266	0.018	3.036	217.1	96.6	9	115	B	
NO3-	0.48	0.06	2.30	388.5	99.3	0	142	A	
pH	5.09	3.99	8.52	6702.6	99.7	0	150	A	
K+	0.21	0.02	11.18	173.2	96.6	8	115	B	
Precip	-	0.0	44.1	814.6	86.6	145	316		
Na+	2.18	0.10	26.91	1776.2	96.6	0	115	A	
SO4-- corr	0.59	-0.28	2.72	483.1	99.3	4	142	A	
SO4--	0.78	0.12	2.98	633.0	99.3	0	142	A	
NO0001R		BIRKENES		NORWAY					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.41	0.00	7.34	648.5	97.7	5	154	A	
Ca++	0.10	0.00	1.34	158.6	89.8	10	141	A	
Cl-	1.76	0.03	21.69	2810.1	97.7	0	154	A	
Mg++	0.123	0.005	1.560	196.9	97.7	14	154	A	
NO3-	0.44	0.00	6.15	709.6	97.7	4	154	B	
pH	4.50	3.49	7.11	50148.3	90.9	0	170	A	
K+	0.08	0.00	0.65	128.3	97.5	5	153	A	
Precip	-	0.0	50.0	1595.9	100.0	113	365		
Na+	0.98	0.01	13.19	1565.6	97.7	0	154	A	
SO4-- corr	0.52	0.01	5.20	836.3	97.7	0	154	A	
SO4--	0.60	0.02	5.37	964.4	97.7	0	154	A	
NO0008R		SKREAADALEN		NORWAY					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.31	0.02	4.34	614.1	95.5	0	187	A	
Ca++	0.17	0.00	2.28	323.9	96.3	2	193	A	
Cl-	2.32	0.15	22.92	4546.5	98.6	0	196	A	
Mg++	0.150	0.005	1.413	294.4	98.7	5	196	A	
NO3-	0.27	0.02	3.76	525.1	98.8	0	197	B	
pH	4.83	3.36	6.93	28854.3	94.6	0	206	A	
K+	0.20	0.00	2.01	384.7	96.0	1	190	A	
Precip	-	0.0	40.3	1961.9	100.0	124	365		
Na+	1.29	0.07	11.93	2533.9	98.6	0	196	A	
SO4-- corr	0.32	-0.07	3.35	636.4	98.8	4	197	A	
SO4--	0.43	0.03	3.41	844.0	98.8	0	197	A	
NO0015R		TUSTERVATN		NORWAY					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.16	0.01	2.21	220.9	77.2	0	142	A	
Ca++	0.09	0.00	0.51	122.6	74.9	1	136	A	
Cl-	1.88	0.03	17.50	2641.3	77.2	0	142	A	
Mg++	0.128	0.005	1.174	180.5	77.2	22	142	A	
NO3-	0.07	0.00	1.63	94.8	77.2	3	142	B	
pH	5.37	3.94	7.00	5979.3	77.4	0	165	A	
K+	0.11	0.02	2.67	148.6	77.2	0	142	A	
Precip	-	0.0	54.5	1145.4	95.1	120	347		
Na+	1.02	0.02	9.35	1433.5	77.2	0	142	A	
SO4-- corr	0.07	-0.03	2.02	101.0	77.2	4	142	A	
SO4--	0.16	0.00	2.04	219.0	77.2	1	142	A	

NO0039R	KAARVATN	NORWAY							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.11	0.00	0.74	164.1	99.2	8	157	A	
Ca++	0.09	0.00	0.56	132.3	91.0	14	145	A	
Cl-	2.73	0.03	20.25	3963.7	99.2	0	157	A	
Mg++	0.189	0.005	1.315	274.9	99.2	25	157	A	
NO3-	0.06	0.00	0.77	84.7	99.2	8	157	B	
pH	5.21	4.33	5.92	9038.9	91.8	0	163	A	
K+	0.08	0.00	0.52	116.6	96.9	11	153	A	
Precip	-	0.0	40.8	1451.3	100.0	189	365		
Na+	1.47	0.02	11.53	2134.1	99.2	0	157	A	
SO4-- corr	0.09	0.00	1.10	123.8	99.2	2	157	A	
SO4--	0.21	0.00	1.17	300.9	99.2	1	157	A	
NO0041R	OSEN	NORWAY							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.24	0.00	4.16	156.1	96.3	4	99	A	
Ca++	0.09	0.00	1.26	58.0	94.9	5	98	A	
Cl-	0.19	0.02	1.76	128.0	98.9	0	102	A	
Mg++	0.022	0.005	0.366	14.2	98.1	37	101	A	
NO3-	0.23	0.00	2.93	151.9	98.9	4	102	B	
pH	4.77	3.54	7.90	11070.4	96.0	0	108	A	
K+	0.09	0.00	1.67	59.2	96.4	1	96	A	
Precip	-	0.0	29.9	655.9	100.0	251	365		
Na+	0.10	0.01	0.94	66.9	98.9	0	102	A	
SO4-- corr	0.30	0.02	4.37	197.6	98.9	0	102	A	
SO4--	0.31	0.02	4.43	203.7	98.9	0	102	A	
NO0055R	KARASJOK	NORWAY							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.16	0.01	1.39	57.9	83.9	0	79	A	
Ca++	0.09	0.00	0.64	30.7	81.0	3	76	A	
Cl-	0.51	0.00	5.98	182.8	85.6	1	81	A	
Mg++	0.034	0.005	0.382	12.1	85.6	14	81	A	
NO3-	0.14	0.02	0.93	49.1	85.6	0	81	B	
pH	4.81	3.99	7.84	5540.3	90.7	0	122	A	
K+	0.16	0.00	0.87	55.1	84.7	1	79	A	
Precip	-	0.0	19.7	354.9	100.0	183	365		
Na+	0.31	0.02	3.33	108.3	85.6	0	81	A	
SO4-- corr	0.36	0.00	2.31	126.4	85.6	0	81	A	
SO4--	0.38	0.03	2.37	135.3	85.6	0	81	A	
PL0002R	JARCZEW	POLAND							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.70	0.04	12.99	504.6	98.5	0	165	A	
Ca++	0.26	0.03	4.94	184.4	98.5	0	164	A	
Cl-	0.43	0.08	7.60	305.0	99.4	0	168	A	
Mg++	0.036	0.010	0.740	26.0	98.5	0	164	A	
NO3-	0.45	0.04	5.50	323.1	99.4	0	168	A	
pH	4.59	3.48	7.29	18321.1	99.4	0	168	A	
K+	0.09	0.01	2.12	63.8	98.5	0	164	A	
Precip	-	0.0	47.8	718.0	58.9	22	215		
Na+	0.16	0.01	3.39	112.9	98.5	0	164	A	
SO4-- corr	0.84	0.07	14.77	602.1	99.4	0	168	A	
SO4--	0.86	0.08	14.83	616.0	99.4	0	168	A	

PL0003R		SNIEZKA		POLAND		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.62	0.04	9.08	770.2	99.5	0	232	A		
Ca++	0.37	0.01	4.68	455.3	99.4	0	230	A		
Cl-	0.86	0.02	15.64	1065.2	99.5	0	232	A		
Mg++	0.100	0.010	1.250	123.8	99.4	0	230	A		
NO3-	0.71	0.01	10.27	877.1	99.5	0	232	A		
pH	4.24	3.13	6.86	71020.7	99.4	0	229	A		
K+	0.15	0.01	2.48	183.3	99.4	0	230	A		
Precip	-	0.0	30.0	1242.8	72.1	9	263			
Na+	0.45	0.02	9.30	557.9	99.4	0	230	A		
SO4-- corr	1.13	0.05	7.16	1399.5	99.5	0	232	A		
SO4--	1.17	0.05	7.37	1458.4	99.5	0	232	A		
PL0004R		LEBA		POLAND		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.45	0.02	5.70	356.4	96.4	0	156	A		
Ca++	0.20	0.03	2.49	160.3	96.1	0	155	A		
Cl-	1.61	0.09	18.09	1278.2	96.6	0	157	A		
Mg++	0.122	0.010	1.230	96.5	96.1	0	155	A		
NO3-	0.47	0.01	7.05	369.7	96.6	0	157	A		
pH	4.60	3.63	6.17	19762.3	96.6	0	158	A		
K+	0.09	0.01	0.79	67.3	96.1	0	155	A		
Precip	-	0.0	27.0	791.7	67.9	44	248			
Na+	0.85	0.07	9.12	670.3	96.1	0	155	A		
SO4-- corr	0.54	0.09	3.41	429.4	96.6	0	157	A		
SO4--	0.62	0.13	4.10	487.8	96.6	0	157	A		
PL0005R		DIABLA GORA		POLAND		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.56	0.00	10.10	416.0	98.8	16	189	B		
Ca++	0.25	0.00	3.90	187.4	98.4	12	174	B		
Cl-	0.54	0.05	5.10	404.3	98.1	4	189	B		
Mg++	0.061	0.006	0.622	45.7	98.3	0	173	B		
NO3-	0.46	0.03	3.14	343.5	96.8	1	189	B		
pH	4.72	3.84	6.90	14411.8	98.7	0	188	B		
K+	0.19	0.00	4.66	144.3	97.5	1	173	B		
Precip	-	0.0	29.8	759.3	100.0	171	365			
Precip off	-	0.0	29.8	749.2	100.0	171	365			
Na+	0.23	0.02	2.82	173.9	99.4	0	176	B		
SO4-- corr	0.66	0.02	3.78	497.8	98.1	1	190	B		
SO4--	0.69	0.05	3.86	517.0	98.1	1	190	B		
PT0001R		BRAGANCA		PORTUGAL		% anal	Num bel	Num sampl	QA flag	Samp flag
Component	W. mean	Min	Max	Dep						
NH4+	0.14	0.01	0.60	39.0	100.0	5	22	A		
Ca++	3.16	0.05	18.90	857.2	100.0	1	22	B		
Cl-	1.09	0.00	5.80	294.2	100.0	1	22	A		
Mg++	0.201	0.015	0.990	54.5	100.0	4	22	D		
NO3-	0.19	0.01	0.80	50.3	100.0	2	22	B		
pH	5.37	4.32	7.75	1162.4	100.0	0	22	A		
K+	0.25	0.04	1.74	69.1	100.0	10	22	D		
Precip	-	0.0	29.5	271.2	100.0	343	365			
Na+	0.58	0.01	2.38	156.5	100.0	6	22	C		
SO4-- corr	0.70	0.00	3.36	191.0	100.0	1	22	A		
SO4--	0.79	0.02	3.92	214.0	100.0	1	22	A		

PT0003R V. DO CASTELO PORTUGAL

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.19	0.01	1.71	168.7	98.8	10	56	A	
Ca++	0.57	0.05	3.20	507.1	100.0	5	57	B	
Cl-	5.61	0.30	20.60	4983.2	100.0	0	57	A	
Mg++	0.408	0.015	1.490	361.9	100.0	2	57	D	
NO3-	0.19	0.01	0.70	166.7	100.0	1	57	B	
pH	4.82	3.97	6.98	13465.3	97.9	0	57	A	
K+	0.17	0.04	1.12	152.0	100.0	29	57	D	
Precip	-	0.0	60.3	887.5	100.0	308	365		
Na+	3.30	0.15	13.13	2926.6	100.0	0	57	C	
SO4-- corr	0.47	0.07	2.78	413.0	100.0	0	57	A	
SO4--	0.73	0.13	2.90	649.3	100.0	0	57	A	

PT0004R MONTE VELHO PORTUGAL

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.23	0.01	1.03	48.4	100.0	4	16	A	
Ca++	1.10	0.20	8.90	227.2	100.0	0	16	B	
Cl-	6.32	0.30	34.30	1304.3	100.0	0	16	A	
Mg++	0.484	0.015	2.970	99.8	100.0	1	16	D	
NO3-	0.28	0.03	1.01	58.8	100.0	0	16	B	
pH	5.37	4.82	6.83	877.7	100.0	0	16	A	
K+	0.19	0.04	1.02	38.5	100.0	4	16	D	
Precip	-	0.0	23.0	206.4	100.0	349	365		
Na+	3.87	0.20	22.05	798.0	100.0	0	16	C	
SO4-- corr	0.84	-0.20	4.39	173.7	100.0	1	16	A	
SO4--	1.15	0.10	6.24	238.1	100.0	0	16	A	

RU0001R JANISKOSKI RUSSIAN FEDERATION

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.16	0.02	5.25	88.9	100.0	38	106	A	
Ca++	0.16	0.01	0.83	87.2	100.0	12	106	D	
Cl-	1.27	0.16	44.25	704.2	100.0	0	106	B	
Mg++	0.035	0.001	0.517	19.3	100.0	12	106	A	
NO3-	0.10	0.01	0.74	53.5	100.0	26	106	A	
pH	4.89	4.09	7.27	7212.4	100.0	0	106	A	
K+	0.36	0.03	4.90	199.1	100.0	5	106	D	
Precip	-	0.0	25.5	554.6	99.7	258	364		
Na+	0.74	0.09	26.39	407.7	100.0	0	106	A	
SO4-- corr	0.41	-1.21	1.78	227.0	100.0	1	106	A	
SO4--	0.46	0.05	2.23	256.6	100.0	0	106	A	

RU0013R PINEGA RUSSIAN FEDERATION

January 1998 - December 1998

Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.17	0.02	2.46	93.6	100.0	25	143	A	
Ca++	0.20	0.01	1.69	108.9	99.8	14	141	D	
Cl-	0.58	0.12	7.80	315.4	100.0	0	143	B	
Mg++	0.055	0.001	1.011	30.2	99.8	7	141	A	
NO3-	0.11	0.01	1.98	58.9	100.0	31	143	A	
pH	5.14	4.02	7.41	3960.4	100.0	0	143	A	
K+	0.25	0.03	4.64	135.8	100.0	6	143	D	
Precip	-	0.0	26.3	545.4	100.0	222	365		
Na+	0.31	0.04	1.96	168.7	100.0	0	143	A	
SO4-- corr	0.37	0.07	3.50	203.7	100.0	0	143	A	
SO4--	0.40	0.08	3.55	218.9	100.0	0	143	A	

RU0016R		SHEPELJOVO		RUSSIAN FEDERATION						
January 1998 - December 1998										
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag	
NH4+	0.30	0.02	4.33	209.7	100.0	42	120	A		
Ca++	0.49	0.02	5.95	337.8	100.0	0	120	D		
Cl-	2.94	0.20	67.20	2035.2	100.0	0	120	B		
Mg++	0.192	0.012	3.950	113.0	100.0	0	120	A		
NO3-	0.31	0.01	3.88	213.4	100.0	35	120	A		
pH	5.00	4.18	6.97	6964.5	100.0	0	120	A		
K+	0.41	0.03	5.93	286.9	100.0	8	120	D		
Precip	-	0.0	33.8	693.3	100.0	245	365			
Na+	1.63	0.11	37.98	1131.8	100.0	0	120	A		
SO4-- corr	0.64	0.17	6.51	447.2	100.0	0	120	A		
SO4--	0.78	0.21	6.80	541.7	100.0	0	120	A		
SE0002R		RORVIK		SWEDEN						
January 1998 - December 1998										
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag	
NH4+	0.38	0.01	5.90	301.8	99.7	0	145	A		
Ca++	0.21	0.04	3.08	166.0	99.5	0	140	A		
Cl-	3.00	0.02	42.31	2381.1	99.7	0	146	A		
Mg++	0.206	0.020	3.010	163.6	99.6	0	142	B		
NO3-	0.46	0.06	3.91	362.2	99.7	0	145	A		
pH	4.57	3.64	6.48	21212.8	99.9	0	153	A		
K+	0.13	0.00	0.81	101.4	99.6	1	142	B		
Precip	-	0.0	24.3	793.1	100.0	208	365			
Na+	1.73	0.03	23.77	1373.4	99.6	0	142	A		
SO4-- corr	0.44	-0.37	7.54	350.4	99.7	1	145	A		
SO4--	0.58	0.07	7.92	462.5	99.7	0	146	A		
SE0005R		BREDKALEN		SWEDEN						
January 1998 - December 1998										
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag	
NH4+	0.11	0.00	2.10	86.6	99.9	1	59	A	W	
Ca++	0.10	0.01	0.83	83.9	99.9	0	59	A	W	
Cl-	0.16	0.00	2.25	129.8	100.0	4	61	A	W	
Mg++	0.051	0.010	0.130	41.3	99.9	0	59	B	W	
NO3-	0.12	0.00	0.55	97.6	100.0	1	61	A	W	
pH	4.92	4.00	7.00	9817.2	100.0	0	65	A	W	
K+	0.10	0.01	0.71	83.2	99.8	0	57	B	W	
Precip	-	0.0	88.1	815.9	99.5	6	66		W	
Na+	0.09	0.02	1.13	76.2	99.8	0	57	A	W	
SO4-- corr	0.15	0.01	0.90	124.4	100.0	0	61	A	W	
SO4--	0.16	0.02	0.96	133.8	100.0	0	61	A	W	
SE0011R		VAVIHILL		SWEDEN						
January 1998 - December 1998										
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag	
NH4+	0.57	0.15	5.61	459.0	100.0	0	50	A	W	
Ca++	0.18	0.07	1.80	145.9	100.0	0	50	A	W	
Cl-	1.85	0.12	10.26	1489.0	100.0	0	50	A	W	
Mg++	0.126	0.030	0.530	101.5	100.0	0	50	B	W	
NO3-	0.52	0.14	4.14	419.3	100.0	0	50	A	W	
pH	4.64	3.57	6.44	18322.8	100.0	0	54	A	W	
K+	0.15	0.03	0.54	121.9	100.0	0	50	B	W	
Precip	-	0.0	75.9	807.0	100.0	10	61		W	
Na+	0.96	0.03	5.38	772.1	100.0	0	50	A	W	
SO4-- corr	0.54	0.21	6.77	436.5	100.0	0	50	A	W	
SO4--	0.62	0.29	6.84	499.2	100.0	0	50	A	W	

SE0012R	ASPVRETEL	SWEDEN							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.30	0.01	1.27	126.7	99.8	0	51	A	W
Ca++	0.26	0.02	2.60	110.3	100.0	0	52	A	W
Cl-	0.58	0.09	5.68	247.5	100.0	0	52	A	W
Mg++	0.064	0.020	0.230	27.3	100.0	0	52	B	W
NO3-	0.34	0.10	1.30	144.8	100.0	0	53	A	W
pH	4.65	4.00	6.11	9579.2	100.0	0	57	A	W
K+	0.11	0.02	0.48	47.2	100.0	0	52	B	W
Precip	-	0.0	30.5	426.6	99.2	10	63		W
Na+	0.19	0.04	1.31	81.8	100.0	0	52	A	W
SO4-- corr	0.47	0.06	2.35	198.2	100.0	0	52	A	W
SO4--	0.50	0.07	2.41	211.3	100.0	0	53	A	W
SK0002R	CHOPOK	SLOVAKIA							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.54	0.03	2.92	642.1	92.5	0	159	B	
Ca++	0.31	0.04	2.79	370.4	92.5	0	159	B	
Cl-	0.34	0.01	2.96	408.2	92.5	0	159	A	
Mg++	0.049	0.002	0.436	58.6	92.5	0	159	C	
NO3-	0.42	0.02	1.98	502.2	92.5	0	159	A	
pH	4.47	3.80	5.78	40036.2	92.5	0	159	A	
K+	0.19	0.03	1.86	229.2	92.5	0	159	D	
Precip	-	0.1	42.3	1190.8	99.7	135	364		
Na+	0.22	0.03	2.91	263.5	92.5	0	159	A	
SO4-- corr	0.93	0.07	4.93	1109.9	92.5	0	159	A	
SO4--	0.95	0.08	4.95	1132.4	92.5	0	159	A	
SK0004R	STARA LESNA	SLOVAKIA							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.39	0.00	2.53	279.4	90.0	1	91	B	
Ca++	0.38	0.02	3.98	267.6	90.0	0	91	B	
Cl-	0.24	0.03	2.20	173.9	90.0	0	91	A	
Mg++	0.055	0.010	0.788	39.1	90.0	0	91	C	
NO3-	0.30	0.02	1.43	216.7	90.0	0	91	A	
pH	4.61	3.91	6.53	17337.8	90.0	0	91	A	
K+	0.19	0.01	1.21	136.1	90.0	0	91	D	
Precip	-	0.1	30.1	712.5	100.0	190	365		
Na+	0.22	0.02	1.82	155.8	90.0	0	91	A	
SO4-- corr	0.76	0.13	3.19	540.5	90.0	0	91	A	
SO4--	0.78	0.15	3.24	552.6	90.0	0	91	A	
SK0005R	LIESEK	SLOVAKIA							
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.35	0.01	1.41	267.1	89.4	0	96	B	
Ca++	0.34	0.05	1.78	261.0	89.4	0	96	B	
Cl-	0.33	0.05	2.66	256.5	89.4	0	96	A	
Mg++	0.048	0.009	0.262	37.1	89.4	0	96	C	
NO3-	0.34	0.04	1.27	258.7	89.4	0	96	A	
pH	4.52	3.92	6.42	23115.7	89.4	0	96	A	
K+	0.17	0.02	1.46	132.3	89.4	0	96	D	
Precip	-	0.1	46.7	770.8	100.0	171	365		
Na+	0.25	0.03	1.36	189.1	89.4	0	96	A	
SO4-- corr	0.75	0.11	2.84	577.3	89.4	0	96	A	
SO4--	0.77	0.17	2.90	593.2	89.4	0	96	A	

SK0006R		STARINA		SLOVAKIA					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.46	0.01	1.55	430.7	93.4	0	121	B	
Ca++	0.52	0.05	3.05	491.4	93.4	0	121	B	
Cl-	0.34	0.04	2.04	321.9	93.4	0	121	A	
Mg++	0.051	0.008	0.267	48.5	93.4	0	121	C	
NO3-	0.43	0.04	2.55	405.0	93.4	0	121	A	
pH	4.50	3.82	6.39	29800.3	93.4	0	121	A	
K+	0.22	0.02	1.49	202.4	93.4	0	121	D	
Precip	-	0.1	34.3	943.0	100.0	175	365		
Na+	0.27	0.03	1.89	254.6	93.4	0	121	A	
SO4-- corr	0.85	0.09	2.86	805.7	93.4	0	121	A	
SO4--	0.88	0.10	2.90	826.6	93.4	0	121	A	
TR0001R		CUBUK II		TURKEY					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.40	0.06	0.91	92.9	99.4	0	33	A	
Ca++	1.86	0.24	16.96	436.1	99.4	0	33	D	
Cl-	0.36	0.04	5.25	84.7	99.9	0	36	A	
Mg++	0.147	0.026	0.703	34.5	99.4	0	33	D	
NO3-	0.32	0.12	2.24	74.5	99.9	0	36	A	
pH	5.29	4.34	7.05	1212.8	99.9	0	36	A	
K+	0.19	0.03	3.40	45.8	99.4	0	33	A	
Precip	-	0.0	16.8	234.4	72.3	227	264		
Na+	0.32	-0.01	3.79	74.3	99.4	1	33	A	
SO4-- corr	0.82	0.08	3.88	192.3	99.9	0	36	A	
SO4--	0.85	0.15	3.93	198.6	99.9	0	36	A	
YU0005R		KAMENICKI VIS		YUGOSLAVIA					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.55	0.06	1.51	409.6	98.3	0	103	B	
Ca++	1.13	0.11	21.01	848.2	97.6	0	97	B	
Cl-	1.08	0.08	10.42	804.0	95.7	0	86	D	
Mg++	0.177	0.010	2.330	132.3	97.6	0	97	B	
NO3-	0.67	0.23	1.12	500.8	98.4	0	104	C	
pH	5.06	3.88	7.75	6543.8	98.4	0	104	A	
K+	0.37	0.01	7.70	273.0	97.6	0	97	A	
Precip	-	0.0	54.8	747.7	100.0	239	365		
Na+	1.25	0.08	12.83	932.5	96.8	0	96	A	
SO4-- corr	1.38	0.15	11.14	1029.9	97.7	0	98	B	
SO4--	1.49	0.27	11.62	1114.9	98.4	0	104	B	
YU0008R		ZABLJAK		YUGOSLAVIA					
January 1998 - December 1998									
Component	W. mean	Min	Max	Dep	% anal	Num bel	Num sampl	QA flag	Samp flag
NH4+	0.36	0.03	1.58	557.2	98.8	0	122	B	
Ca++	0.98	0.01	19.32	1498.3	98.6	0	120	B	
Cl-	1.04	0.05	5.21	1603.3	97.6	0	112	D	
Mg++	0.153	0.010	1.430	234.8	98.6	0	120	B	
NO3-	0.52	0.08	1.12	799.1	98.8	0	122	C	
pH	5.72	4.46	8.19	2913.9	98.8	0	122	A	
K+	0.24	0.01	8.18	370.1	98.6	0	120	A	
Precip	-	0.0	93.4	1536.2	99.7	197	364		
Na+	1.37	0.02	8.38	2100.0	98.6	0	120	A	
SO4-- corr	0.70	0.02	6.05	1068.6	98.7	0	121	B	
SO4--	0.79	0.16	6.27	1215.6	98.7	0	121	B	

Annex 3

Annual statistics on gases and aerosol data

AT0002R ILLMITZ AUSTRIA														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	3.39	1.90	3.00	1.66	0.66	1.00	3.30	5.92	20.76	77.5	0	283	D	
SO4--	1.03	1.16	0.65	2.60	0.06	0.14	0.67	3.49	9.78	96.4	0	352	A	
SO2	2.80	2.67	2.22	1.83	0.94	1.12	1.90	8.34	22.28	84.7	0	309	D	
AT0004R ST. KOLOMAN AUSTRIA														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	1.05	1.15	0.78	2.09	0.10	0.27	0.72	2.72	12.48	50.1	0	183	D	
SO2	0.51	0.51	0.38	2.09	0.07	0.11	0.37	1.43	3.95	44.9	0	164	D	
AT0005R VORHEGG AUSTRIA														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	0.78	0.76	0.63	1.75	0.25	0.30	0.55	1.90	6.99	45.2	0	165	D	
SO2	0.84	1.05	0.60	2.01	0.21	0.28	0.51	2.90	7.32	41.9	0	153	D	
CH0001G JUNGFRAUJOCH SWITZERLAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	0.10	0.13	0.06	2.42	0.01	0.02	0.06	0.38	0.82	79.2	0	289	A	
SO4--	0.14	0.18	0.08	2.91	0.02	0.02	0.07	0.56	1.08	92.9	89	339	A	
SO2	0.11	0.14	0.07	2.37	0.01	0.02	0.07	0.27	1.16	94.2	16	344	D	
SPM	4.0	6.5	2.3	2.6	0.5	0.5	2.0	11.6	70.6	94.0	41	343		
CH0002R PAYERNE SWITZERLAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	5.32	2.91	4.65	1.67	1.26	2.06	4.42	11.32	16.61	97.5	0	356	C	
SO4--	0.79	0.55	0.62	2.07	0.09	0.18	0.64	1.87	3.02	98.6	0	360	A	
SO2	0.81	0.54	0.64	2.04	0.05	0.18	0.67	1.86	3.58	99.5	0	363	D	
NH3+NH4+	4.07	2.60	3.41	1.86	0.44	0.98	3.64	8.31	23.01	99.2	0	362	A	
HNO3+NO3	1.10	1.11	0.75	2.37	0.09	0.19	0.72	3.41	7.90	98.6	0	360	A	
SPM	23.2	16.3	18.8	1.9	2.9	6.5	18.5	56.7	101.8	99.2	0	362		
CH0003R TANIKON SWITZERLAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	4.73	2.83	4.06	1.73	0.98	1.71	3.99	10.48	16.12	99.2	0	362	C	
SO2	0.94	0.59	0.78	1.82	0.17	0.30	0.72	2.20	3.83	98.1	0	358	D	
SPM	20.4	14.0	16.6	1.9	2.1	5.6	17.3	45.0	92.6	93.7	0	342		
CH0004R CHAUMONT SWITZERLAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	2.21	0.88	2.05	1.48	0.58	1.02	2.05	3.84	6.38	97.3	0	355	C	
SO2	0.65	0.60	0.40	3.06	0.01	0.05	0.47	1.78	3.66	98.4	0	359	D	
SPM	10.6	6.6	8.7	1.9	0.5	2.9	9.0	22.5	38.6	94.8	0	346		
CH0005R RIGI SWITZERLAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	2.37	1.40	2.05	1.72	0.40	0.85	2.07	4.92	10.63	100.0	0	365	C	
SO4--	0.53	0.39	0.39	2.32	0.04	0.09	0.41	1.29	1.90	95.6	0	349	A	
SO2	0.45	0.37	0.34	2.10	0.06	0.11	0.35	1.27	2.35	100.0	0	365	D	
SPM	12.5	8.1	9.9	2.0	1.7	2.9	10.4	27.5	41.5	99.5	0	363		

CZ0001R		SVRATOUCH		CZECH REPUBLIC												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH3	2.61	1.85	2.21	1.71	0.00	0.99	2.06	6.58	14.56	98.6	1	360	D			
NH4+	1.47	0.99	1.20	1.89	0.23	0.47	1.12	3.65	5.12	96.2	0	351	D			
NO3-	0.82	0.52	0.71	1.69	0.11	0.29	0.71	1.69	4.83	96.2	0	351	D			
HNO3	1.70	0.80	1.53	1.62	0.07	0.71	1.58	3.07	5.98	100.0	0	365	D			
NO2	1.43	0.73	1.24	1.81	0.10	0.50	1.30	2.80	4.80	91.8	0	335	C			
SO4--	1.59	1.54	1.17	2.18	0.13	0.30	1.10	4.05	11.88	99.7	0	364	B			
SO2	2.78	2.78	1.89	2.40	0.50	0.50	2.00	8.40	18.00	99.7	0	364	B			
CZ0003R		KOSETICE		CZECH REPUBLIC												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH3	1.83	0.71	1.70	1.50	0.49	0.82	1.73	3.13	4.77	100.0	0	365	D			
NH4+	1.32	0.82	1.10	1.82	0.23	0.39	1.09	2.93	5.20	100.0	0	365	D			
NO3-	0.57	0.31	0.51	1.59	0.09	0.25	0.50	1.02	2.39	100.0	0	365	D			
HNO3	1.28	0.76	1.09	1.75	0.13	0.47	1.09	2.85	4.62	99.2	0	362	D			
NO2	2.17	1.10	1.93	1.63	0.50	0.90	1.85	4.20	8.00	96.7	0	353	C			
SO4--	1.39	0.81	1.18	1.80	0.10	0.50	1.17	3.07	4.71	99.2	0	362	B			
SO2	2.75	2.23	2.10	2.09	0.50	0.50	2.00	7.50	13.50	99.2	0	362	B			
DE0001R		WESTERLAND		GERMANY												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	2.48	2.35	1.83	2.09	0.51	0.66	1.68	8.00	14.37	98.9	0	361	D			
SO4--	0.93	0.62	0.78	1.77	0.20	0.30	0.80	2.00	3.80	99.2	0	362	B			
SO2	0.58	0.62	0.34	3.04	0.05	0.05	0.40	1.85	3.75	98.1	0	358	C			
SPM	22.8	13.6	20.0	1.7	5.0	9.0	20.0	49.1	119.0	95.6	0	349				
DE0002R		LANGENBRUGGE		GERMANY												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	2.69	2.13	2.16	1.88	0.15	0.99	1.95	7.61	13.26	98.9	1	361	D			
SO4--	0.79	0.60	0.62	1.97	0.20	0.20	0.60	1.90	4.00	100.0	0	365	B			
SO2	0.93	1.36	0.47	3.20	0.05	0.05	0.45	3.67	9.75	96.7	0	353	C			
SPM	20.3	15.3	16.5	1.9	3.0	6.0	16.0	47.0	155.0	95.6	0	349				
DE0003R		SCHAUINSLAND		GERMANY												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	1.12	0.44	1.05	1.38	0.42	0.66	0.99	1.94	3.90	99.5	0	363	D			
SO4--	0.48	0.31	0.40	1.81	0.10	0.20	0.40	1.10	2.30	100.0	0	365	B			
SO2	0.18	0.33	0.09	2.67	0.05	0.05	0.05	0.90	2.60	100.0	0	365	C			
SPM	10.7	8.3	7.7	2.4	0.5	2.0	8.0	28.0	45.0	95.6	10	349				
DE0004R		DEUSELBACK		GERMANY												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	2.21	1.22	1.98	1.55	0.42	1.11	1.83	4.43	9.36	100.0	0	365	D			
SO4--	0.60	0.40	0.50	1.80	0.20	0.20	0.50	1.40	2.70	100.0	0	365	B			
SO2	1.04	1.59	0.49	3.59	0.05	0.05	0.55	3.67	14.25	100.0	0	365	C			
SPM	17.7	11.1	14.8	1.8	2.0	5.0	15.0	40.0	73.0	99.7	0	364				
DE0005R		BROTJACKLRIEGEL		GERMANY												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	1.89	1.11	1.66	1.66	0.12	0.90	1.50	4.12	8.94	100.0	2	365	D			
SO4--	0.75	0.49	0.61	1.98	-0.10	0.20	0.70	1.60	2.80	99.7	2	364	B			
SO2	0.58	0.97	0.19	4.36	0.05	0.05	0.10	2.49	7.25	94.5	0	345	C			
SPM	12.6	9.0	9.5	2.3	0.5	2.0	11.0	31.0	60.0	98.4	8	359				

DE0007R		NEUGLOBSOW		GERMANY												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	2.09	1.59	1.74	1.73	0.63	0.96	1.49	5.71	9.90	100.0	0	365	D			
SO4--	0.74	0.71	0.56	2.05	0.20	0.20	0.50	2.17	5.30	100.0	0	365	B			
SO2	0.99	1.96	0.29	4.68	0.05	0.05	0.25	4.18	20.85	99.5	0	363	C			
SPM	19.9	15.5	15.9	1.9	4.0	6.0	15.0	49.8	110.0	99.2	0	362				
DE0008R		SCHMUCKE		GERMANY												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	1.89	1.35	1.62	1.66	0.63	0.87	1.44	4.60	10.71	99.2	0	362	D			
SO4--	0.55	0.36	0.46	1.83	0.10	0.20	0.50	1.20	2.20	99.7	0	364	B			
SO2	0.89	1.62	0.38	3.64	0.00	0.05	0.35	3.67	13.30	99.7	6	364	C			
SPM	13.5	9.7	10.1	2.4	0.5	2.0	11.0	34.0	50.0	98.9	8	361				
DE0009R		ZINGST		GERMANY												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	2.23	1.74	1.86	1.73	0.54	0.90	1.65	6.14	9.87	99.7	0	364	D			
SO4--	0.67	0.76	0.48	2.11	0.20	0.20	0.50	1.71	6.20	98.4	0	359	B			
SO2	0.89	1.59	0.46	2.93	0.05	0.10	0.40	3.09	15.55	99.7	0	364	C			
SPM	21.3	15.8	17.4	1.8	4.0	7.0	16.0	52.0	113.0	99.2	0	362				
DK0003R		TANGE		DENMARK												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
SO4--	0.92	0.69	0.73	1.98	0.07	0.27	0.68	2.23	4.53	99.7	1	364	A			
SO2	0.59	0.67	0.34	2.99	0.02	0.05	0.34	2.07	3.91	100.0	0	365	A			
NH3+NH4+	2.68	1.78	2.22	1.84	0.47	0.81	2.22	6.48	12.02	100.0	0	365	A			
HNO3+NO3	0.85	0.79	0.56	2.63	0.04	0.11	0.59	2.55	4.89	100.0	0	365	A			
DK0005R		KELDSNOR		DENMARK												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
SO4--	1.05	0.74	0.84	1.99	0.04	0.26	0.86	2.66	4.76	100.0	0	365	A			
SO2	0.85	0.94	0.55	2.60	0.05	0.11	0.59	2.17	7.50	99.5	0	363	A			
NH3+NH4+	2.58	1.83	2.01	2.08	0.23	0.58	2.06	6.47	10.59	99.5	0	363	A			
HNO3+NO3	1.11	0.98	0.76	2.52	0.01	0.16	0.80	3.06	5.94	100.0	1	365	A			
DK0008R		ANHOLT		DENMARK												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	1.96	1.91	1.38	2.34	0.08	0.36	1.39	5.25	14.40	90.1	0	329	A			
SO4--	0.88	0.69	0.69	1.97	0.09	0.26	0.65	2.23	5.58	98.4	1	359	A			
SO2	0.69	0.82	0.43	2.58	0.04	0.09	0.42	2.11	5.26	98.6	0	360	A			
NH3+NH4+	1.15	1.09	0.78	2.49	0.03	0.17	0.81	3.34	8.25	98.4	1	359	A			
HNO3+NO3	0.68	0.63	0.46	2.49	0.04	0.10	0.47	1.80	4.62	98.6	0	360	A			
EE0009R		LAHEMAA		ESTONIA												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	0.62	0.34	0.56	1.64	0.00	0.25	0.55	1.27	2.59	99.2	1	362	D			
EE0011R		VILSANDI		ESTONIA												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	0.85	0.65	0.67	2.02	0.08	0.20	0.67	2.12	4.96	97.3	0	355	B			
SO2	0.31	0.75	0.12	3.29	0.03	0.03	0.09	1.27	6.47	54.0	25	197	D			

ES0001R TOLEDO SPAIN														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
H+	0.1	0.4	-	-	0.0	0.0	0.0	1.0	3.0	93.2	311	340		
NH4+	0.44	0.40	0.27	3.16	0.00	0.03	0.29	1.23	2.30	91.8	4	335	D	
NO2	4.02	2.77	3.21	2.10	0.25	1.10	3.55	7.85	22.90	97.3	12	355	B	
SO4--	0.71	0.52	0.56	2.07	0.07	0.17	0.56	1.61	3.78	92.9	0	339	B	
SO2	0.85	1.37	0.42	2.71	0.25	0.25	0.25	4.10	8.10	98.6	276	360	B	
NH3+NH4+	0.49	0.56	0.19	4.86	0.01	0.03	0.23	1.67	2.37	97.0	95	354	B	
HNO3+NO3	0.36	0.25	0.28	2.20	0.01	0.07	0.31	0.78	2.23	99.2	7	362	B	
SPM	23.9	26.7	17.8	2.1	1.0	5.0	18.0	51.2	342.0	92.1	0	336		
ES0003R ROQUETAS SPAIN														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
H+	0.1	0.4	-	-	0.0	0.0	0.0	1.0	4.0	93.7	317	342		
NH4+	0.64	0.78	0.33	3.62	0.00	0.03	0.35	2.22	5.15	93.7	5	342	D	
NO2	4.53	2.64	3.55	2.31	0.25	0.25	4.30	9.70	13.60	86.6	17	316	B	
SO4--	1.24	0.86	0.92	2.45	0.03	0.22	1.09	2.93	4.83	94.0	7	343	B	
SO2	0.82	1.28	0.42	2.65	0.25	0.25	0.25	3.90	8.60	94.2	262	344	B	
NH3+NH4+	0.58	0.56	0.35	3.15	0.01	0.03	0.41	1.81	4.01	95.9	27	350	B	
HNO3+NO3	0.27	0.24	0.20	2.23	0.01	0.06	0.21	0.72	2.01	72.9	12	266	B	
SPM	41.4	22.8	36.2	1.7	7.0	13.1	38.5	75.8	222.0	94.0	0	343		
ES0004R LOGRONO SPAIN														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
H+	0.4	0.8	-	-	0.0	0.0	0.0	2.0	6.0	87.1	232	318		
NH4+	0.68	0.84	0.35	3.55	0.00	0.04	0.36	2.20	4.97	87.1	5	318	D	
NO2	5.03	3.34	3.78	2.44	0.25	0.25	4.40	11.50	18.80	95.3	21	348	B	
SO4--	1.19	0.79	0.95	2.03	0.10	0.27	1.04	2.68	5.21	87.1	0	318	B	
SO2	0.80	1.41	0.41	2.59	0.25	0.25	0.25	3.62	10.70	91.8	257	335	B	
NH3+NH4+	1.22	4.14	0.12	8.31	0.01	0.02	0.03	4.98	50.40	72.6	117	265	B	
HNO3+NO3	0.56	0.50	0.42	2.15	0.01	0.11	0.44	1.42	3.73	94.8	1	346	B	
SPM	29.6	20.6	23.7	2.0	1.0	8.0	24.0	70.8	149.0	84.4	0	308		
ES0005R NOIA SPAIN														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
H+	0.5	1.0	-	-	0.0	0.0	0.0	2.0	6.0	64.1	162	234		
NH4+	0.43	0.64	0.14	5.39	0.00	0.00	0.16	1.75	4.97	64.4	18	235	D	
NO2	3.39	2.29	2.42	2.70	0.25	0.25	3.10	7.70	11.50	70.1	32	256	B	
SO4--	0.92	0.89	0.64	2.35	0.04	0.17	0.63	2.61	8.10	64.4	0	235	B	
SO2	0.89	1.97	0.41	2.69	0.25	0.25	0.25	4.50	24.30	74.0	211	270	B	
NH3+NH4+	0.65	0.67	0.31	4.35	0.02	0.03	0.47	2.10	3.72	69.0	48	252	B	
HNO3+NO3	0.22	0.17	0.17	2.26	0.01	0.04	0.17	0.57	1.12	74.8	12	273	B	
SPM	17.5	10.9	14.7	1.8	2.0	5.7	14.0	40.0	68.0	63.8	0	233		
ES0006R MAHON SPAIN														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
H+	0.1	0.4	-	-	0.0	0.0	0.0	1.0	5.0	95.1	328	347		
NH4+	0.29	0.34	0.15	3.79	0.00	0.01	0.16	1.02	2.04	95.1	14	347	D	
NO2	3.25	2.41	2.10	3.11	0.25	0.25	3.10	7.20	14.20	93.4	64	341	B	
SO4--	1.31	0.68	1.16	1.64	0.22	0.53	1.14	2.68	4.29	95.1	0	347	B	
SO2	0.84	1.57	0.41	2.64	0.25	0.25	0.25	3.84	15.70	91.2	258	333	B	
NH3+NH4+	0.65	0.41	0.47	2.81	0.01	0.03	0.61	1.37	2.90	92.1	22	336	B	
HNO3+NO3	0.21	0.17	0.15	2.38	0.01	0.02	0.14	0.51	1.13	61.1	11	223	B	
SPM	32.9	14.7	30.2	1.5	11.0	17.0	29.0	64.0	93.0	64.4	0	235		
ES0007R VIZNAR SPAIN														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
H+	0.2	0.6	-	-	0.0	0.0	0.0	1.0	7.0	79.7	262	291		
NH4+	0.51	0.41	0.34	2.80	0.00	0.06	0.38	1.29	2.02	79.7	3	291	D	
NO2	3.95	2.68	2.86	2.63	0.25	0.25	3.50	9.19	13.10	98.9	35	361	B	
SO4--	1.00	0.74	0.79	1.98	0.04	0.25	0.80	2.46	5.66	79.7	0	291	B	
SO2	0.66	1.13	0.37	2.34	0.25	0.25	0.25	3.50	6.00	94.5	280	345	B	
NH3+NH4+	1.00	0.80	0.68	2.90	0.03	0.04	0.78	2.60	4.81	91.8	16	335	B	
HNO3+NO3	0.34	0.22	0.28	1.97	0.01	0.09	0.26	0.78	1.48	79.7	3	291	B	
SPM	36.6	28.9	29.0	2.0	4.0	9.0	31.0	75.0	286.0	79.7	0	291		

FI0009R		UTO		FINLAND												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	1.60	1.19	1.25	2.02	0.18	0.39	1.20	3.86	7.60	100.0	0	365	C			
SO4--	0.71	0.58	0.49	2.63	0.00	0.11	0.53	1.87	3.36	99.2	0	362	A			
SO2	0.55	0.79	0.33	2.69	0.01	0.08	0.32	1.63	6.98	98.9	0	361	B			
NH3+NH4+	0.50	0.50	0.32	2.72	0.00	0.06	0.31	1.55	3.96	99.2	0	362	A			
HNO3+NO3	0.40	0.35	0.29	2.29	0.02	0.07	0.30	1.03	2.72	98.9	0	361	A			
FI0017R		VIROLAHTI II		FINLAND												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	1.35	0.92	1.14	1.80	0.12	0.42	1.11	2.87	8.52	95.3	0	348	C			
SO4--	0.81	0.63	0.60	2.29	0.05	0.13	0.61	2.01	3.70	99.7	0	364	A			
SO2	1.02	1.42	0.51	3.38	0.01	0.06	0.53	3.98	10.53	98.1	0	358	B			
NH3+NH4+	0.85	0.69	0.63	2.22	0.05	0.16	0.70	2.20	4.43	99.2	0	362	A			
HNO3+NO3	0.29	0.25	0.21	2.22	0.02	0.05	0.22	0.65	2.68	98.1	0	358	A			
FI0022R		OULANKA		FINLAND												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	0.43	0.38	0.29	2.63	0.01	0.05	0.30	1.13	2.54	85.8	0	313	C			
SO4--	0.43	0.34	0.30	2.60	0.00	0.06	0.33	1.01	2.35	98.6	0	360	A			
SO2	0.64	1.07	0.18	5.72	0.01	0.01	0.18	2.87	7.83	98.6	0	360	B			
NH3+NH4+	0.16	0.19	0.09	3.21	0.00	0.00	0.09	0.56	1.53	99.5	0	363	A			
HNO3+NO3	0.06	0.09	0.04	2.68	0.00	0.01	0.04	0.15	1.32	98.6	0	360	A			
FI0037R		AHTARI II		FINLAND												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	0.92	0.52	0.79	1.72	0.24	0.32	0.75	2.07	2.72	92.6	0	338	C			
SO4--	0.53	0.47	0.38	2.36	0.04	0.09	0.37	1.55	2.70	98.9	0	361	A			
SO2	0.45	0.75	0.17	4.30	0.01	0.01	0.14	1.78	6.06	98.6	0	360	B			
NH3+NH4+	0.37	0.34	0.27	2.17	0.04	0.08	0.25	1.03	2.87	99.2	0	362	A			
HNO3+NO3	0.16	0.16	0.11	2.32	0.01	0.03	0.11	0.42	1.69	98.6	0	360	A			
FR0003R		LA CROUZILLE		FRANCE												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
SO4--	0.73	0.81	0.50	2.32	0.07	0.13	0.49	1.90	9.65	96.7	0	353	B			
SO2	0.64	1.10	0.50	1.76	0.09	0.28	0.44	1.23	18.20	96.7	1	353	B			
FR0005R		LA HAGUE		FRANCE												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
SO4--	0.60	0.54	0.46	2.04	0.04	0.16	0.43	1.55	5.88	98.4	1	359	B			
SO2	0.73	0.69	0.55	2.06	0.12	0.21	0.45	2.12	5.59	98.4	1	359	B			
FR0008R		DONON		FRANCE												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
SO4--	0.54	0.41	0.41	2.10	0.04	0.12	0.44	1.37	2.59	98.9	1	361	B			
SO2	0.79	0.73	0.60	2.02	0.14	0.26	0.56	2.05	5.30	98.9	1	361	B			
FR0009R		REVIN		FRANCE												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
SO4--	0.98	0.67	0.79	1.94	0.14	0.25	0.76	2.42	3.93	100.0	0	365	B			
SO2	1.26	1.18	0.93	2.11	0.19	0.33	0.88	3.81	7.96	100.0	1	365	B			

FR0010R		MORVAN		FRANCE											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.64	0.49	0.49	2.14	0.03	0.13	0.48	1.58	3.09	99.7	1	364	B	
SO2		0.69	0.50	0.57	1.81	0.06	0.28	0.54	1.62	3.37	99.2	1	362	B	
FR0011R		BONNEVAUX		FRANCE											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.52	0.36	0.42	1.99	0.07	0.11	0.44	1.08	2.23	18.9	0	69	B	
SO2		0.49	0.35	0.41	1.74	0.15	0.20	0.34	0.97	1.94	18.6	0	68	B	
FR0012R		IRATY		FRANCE											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.52	0.43	0.38	2.28	0.04	0.09	0.38	1.39	1.91	87.9	1	321	B	
SO2		0.64	0.58	0.52	1.78	0.18	0.28	0.46	1.61	6.45	87.9	1	321	B	
FR0013R		PEYRUSSE VIEILLE		FRANCE											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.80	0.65	0.57	2.33	0.03	0.14	0.63	2.02	3.83	96.7	1	353	B	
SO2		0.47	0.30	0.41	1.60	0.10	0.21	0.39	0.99	3.19	97.0	1	354	B	
FR0014R		MONTANDON		FRANCE											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.43	0.32	0.34	2.08	0.03	0.10	0.32	1.11	1.72	72.1	1	263	B	
SO2		0.39	0.23	0.35	1.56	0.13	0.22	0.29	0.80	2.01	73.2	1	267	B	
GB0002R		ESKDALEMUIR		UNITED KINGDOM											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.58	0.60	0.40	2.29	0.03	0.11	0.37	1.83	3.97	99.7	1	364	A	
SO2		0.54	0.52	0.41	2.02	0.12	0.14	0.35	1.57	3.48	99.7	11	364	B	
NH3+NH4+		0.71	0.76	0.46	2.56	0.02	0.12	0.43	2.37	6.00	99.2	0	362	A	
HNO3+NO3		0.29	0.34	0.17	2.91	0.00	0.03	0.14	0.98	2.76	98.6	3	360	A	
GB0004R		STOKE FERRY		UNITED KINGDOM											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.91	0.63	0.74	1.87	0.11	0.31	0.68	2.32	3.61	99.5	0	363	A	
SO2		2.01	1.77	1.54	2.01	0.12	0.58	1.42	5.12	12.93	98.9	1	361	B	
GB0006R		LOUGH NAVAR		UNITED KINGDOM											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.48	0.64	0.29	2.51	0.03	0.09	0.25	1.85	4.33	95.6	1	349	A	
SO2		0.32	0.21	0.29	1.52	0.12	0.17	0.26	0.64	2.21	89.3	0	326	B	
GB0007R		BARCOMB MILLS		UNITED KINGDOM											
January 1998 - December 1998															
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num samp	QA flag	Samp flag
SO4--		0.99	0.63	0.83	1.81	0.16	0.33	0.80	2.32	4.30	91.5	0	334	A	
SO2		1.02	1.16	0.74	2.08	0.18	0.28	0.62	2.83	13.87	91.8	0	335	B	

GB0013R YARNER WOOD UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
SO4--	0.99	0.63	0.83	1.81	0.16	0.33	0.80	2.32	4.30	91.5	0	334	A	
SO2	0.78	0.89	0.55	2.23	0.09	0.15	0.48	2.37	8.16	82.2	0	300	B	
GB0014R HIGH MUFFLES UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
SO4--	0.70	0.56	0.54	2.06	0.03	0.19	0.50	1.93	3.87	99.5	1	363	A	
SO2	1.76	2.92	0.89	3.09	0.12	0.12	0.82	6.22	33.96	99.5	21	363	B	
NH3+NH4+	1.57	1.20	1.21	2.11	0.00	0.35	1.23	4.00	9.11	95.3	1	348	A	
HNO3+NO3	0.68	0.64	0.49	2.30	0.05	0.12	0.46	2.06	5.89	97.0	0	354	A	
GB0015R STRATHVAICH DAM UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
SO4--	0.99	0.63	0.83	1.81	0.16	0.33	0.80	2.32	4.30	91.5	0	334	A	
SO2	0.70	0.86	0.45	2.45	0.09	0.12	0.43	2.23	8.16	94.2	44	344	B	
GB0016R GLEN DYE UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
SO4--	0.46	0.55	0.27	2.73	0.03	0.06	0.24	1.67	3.43	98.1	2	358	A	
SO2	0.48	0.69	0.32	2.18	0.12	0.12	0.26	1.71	8.10	98.1	44	358	B	
GB0036R HARWELL UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	5.54	3.96	4.40	1.98	0.80	1.40	4.30	13.50	21.60	77.5	0	283	C	
GB0037R LADYBOWER UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	3.45	2.28	2.85	1.88	0.30	1.00	2.80	7.45	16.60	94.0	0	343	C	
GB0038R LULLINGTON HEATH UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	4.16	2.85	3.37	1.93	0.50	1.10	3.30	9.50	16.90	78.1	0	285	C	
GB0043R NARBERTH UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	1.84	1.48	1.52	1.78	0.30	0.60	1.50	4.24	14.60	74.5	0	272	C	
GB0045R WICKEN FEN UNITED KINGDOM														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NO2	4.39	2.59	3.73	1.79	0.40	1.50	3.60	9.80	13.90	88.5	0	323	C	

HU0002R K-PUSZTA HUNGARY														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
H+	4.3	34.6	-	-	-280.0	-35.2	4.6	39.3	262.5	80.0	108	292		
NH3	0.80	0.77	0.40	4.36	0.02	0.02	0.60	2.33	4.69	92.6	43	338	B	
NH4+	1.72	1.34	1.21	2.64	0.01	0.24	1.35	4.25	7.54	92.6	1	338	B	
NO2	1.81	1.22	1.42	2.15	0.01	0.40	1.45	4.45	7.34	99.7	1	364	A	
SO4--	1.98	1.35	1.61	1.97	0.02	0.54	1.70	4.02	9.65	92.6	0	338	A	
SO2	4.06	4.04	2.69	2.64	0.01	0.56	2.81	12.89	26.94	90.1	1	329	A	
HNO ₃ +NO ₃	0.99	0.80	0.77	2.00	0.07	0.29	0.69	2.57	4.69	90.1	0	329	A	
IE0002R TURLOUGH HILL IRELAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
SO4--	0.62	0.96	0.34	2.84	-0.04	0.07	0.29	2.33	7.77	99.7	2	364	B	
SO2	0.31	0.97	0.09	3.99	0.00	0.01	0.08	0.89	10.01	100.0	5	365	B	
IE0003R THE BURREN IRELAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
SO4--	0.40	0.63	0.22	3.19	0.00	0.01	0.17	1.54	4.50	100.0	14	365	B	
IE0004R RIDGE OF CAPARD IRELAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
SO4--	0.35	0.46	0.20	3.09	0.00	0.02	0.19	1.16	3.60	98.6	5	360	B	
IS0002R IRAFOSS ICELAND														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
SO4--	0.18	0.14	0.14	2.08	0.01	0.04	0.14	0.44	0.95	98.1	0	358	A	
IT0001R MONTELIBRETTI ITALY														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
NH3	1.79	0.93	1.56	1.75	0.12	0.64	1.58	3.60	5.40	95.9	0	350	B	
NH4+	1.49	0.86	1.27	1.80	0.22	0.46	1.39	2.92	6.23	95.9	0	350	B	
NO3-	0.63	0.57	0.47	2.17	0.06	0.13	0.47	1.70	4.12	95.9	0	350	A	
HNO ₃	0.13	0.12	0.09	2.79	0.00	0.02	0.08	0.40	0.60	95.9	0	350	A	
NO2	4.16	1.89	3.64	1.80	0.22	1.17	4.06	7.63	10.40	84.7	0	309	C	
SO4--	0.99	0.62	0.82	1.88	0.11	0.29	0.83	2.30	3.65	95.9	0	350	A	
SO2	0.69	0.45	0.55	2.12	0.00	0.17	0.56	1.50	2.48	95.9	0	350	A	
IT0004R ISPRA ITALY														
January 1998 - December 1998														
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag
H+	12.2	11.1	-	-	1.0	1.0	10.0	34.0	81.0	100.0	0	365		
NH4+	2.36	2.21	1.40	3.36	0.01	0.17	1.71	6.47	13.72	100.0	0	365	D	
NO3-	1.48	1.57	0.85	3.15	0.03	0.12	0.91	4.78	10.03	100.0	0	365	D	
NO2	7.69	4.30	6.73	1.66	2.30	3.20	6.20	15.95	30.70	100.0	0	365	C	
SO4--	1.09	0.90	0.71	2.89	0.02	0.11	0.85	2.96	4.68	100.0	0	365	A	
SO2	1.08	0.81	0.87	1.84	0.50	0.50	0.80	2.88	4.70	100.0	0	365	D	
SPM	44.2	28.1	36.1	1.9	4.0	12.0	37.0	90.0	163.0	100.0	0	365		

LT0015R		PREILA		LITHUANIA														
January 1998 - December 1998																		
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag				
NH4+	1.16	0.85	0.89	2.15	0.13	0.21	0.93	2.85	5.51	99.5	0	363	D					
NO3-	0.63	0.53	0.49	2.01	0.11	0.16	0.47	1.70	3.83	100.0	0	365	D					
NO2	2.31	1.64	1.83	2.02	0.08	0.59	1.80	6.06	8.80	89.6	0	327	B					
SO4--	1.17	0.70	1.00	1.74	0.26	0.40	1.00	2.41	5.03	99.7	0	364	A					
SO2	1.05	1.18	0.69	2.45	0.05	0.18	0.66	3.42	9.47	98.9	0	361	A					
NH3+NH4+	1.90	1.30	1.46	2.32	0.01	0.36	1.55	4.51	6.91	97.3	0	355	A					
HNO3+NO3	0.81	0.74	0.61	2.05	0.08	0.20	0.56	2.12	5.19	98.9	0	361	A					
LV0010R		RUCAVA		LATVIA														
January 1998 - December 1998																		
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag				
NH4+	0.39	0.38	0.28	2.30	0.00	0.07	0.26	1.28	2.54	98.1	45	358	D					
NO3-	0.10	0.17	0.06	3.59	0.00	0.00	0.03	0.52	0.92	98.1	126	358	D					
NO2	0.65	0.49	0.52	2.01	0.00	0.10	0.50	1.60	4.00	98.4	6	359	B					
SO4--	0.28	0.52	0.16	3.57	0.00	0.00	0.08	1.51	3.50	95.1	220	347	B					
SO2	0.47	0.66	0.40	2.53	0.00	0.00	0.20	1.83	3.70	97.0	183	354	B					
NH3+NH4+	0.51	0.39	0.41	1.92	0.00	0.16	0.39	1.35	2.95	96.2	1	351	B					
HNO3+NO3	0.12	0.20	0.06	3.42	0.00	0.01	0.04	0.62	1.08	96.4	23	352	B					
LV0016R		ZOSENI		LATVIA														
January 1998 - December 1998																		
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag				
NH4+	0.62	0.46	0.50	1.96	0.05	0.16	0.48	1.51	3.48	88.5	3	323	D					
NO3-	0.14	0.15	0.09	2.95	0.00	0.00	0.08	0.45	1.00	86.6	34	316	D					
NO2	0.59	0.37	0.51	1.72	0.10	0.20	0.50	1.30	3.20	89.0	0	325	B					
SO4--	0.32	0.44	0.17	3.48	0.00	0.01	0.16	1.33	2.63	88.2	121	322	B					
SO2	0.64	0.77	0.45	2.59	0.00	0.00	0.35	2.07	4.50	80.3	80	293	B					
NH3+NH4+	0.81	0.50	0.68	1.81	0.08	0.26	0.68	1.82	3.68	88.5	0	323	B					
HNO3+NO3	0.17	0.17	0.12	2.68	0.00	0.01	0.11	0.48	1.15	82.2	8	300	B					
NL0009R		KOLLUMERWAARD		NETHERLANDS														
January 1998 - December 1998																		
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag				
NH4+	1.57	1.20	1.19	2.17	0.14	0.34	1.22	3.96	7.07	98.9	0	361	A					
NO3-	0.97	0.76	0.71	2.24	0.12	0.17	0.76	2.37	5.57	98.9	24	361	A					
NO2	3.88	3.40	2.73	2.41	0.31	0.61	2.74	11.59	18.60	100.0	0	365	C					
SO4--	0.96	0.69	0.76	2.06	0.13	0.20	0.78	2.45	4.64	98.9	1	361	A					
SO2	0.71	0.73	0.89	1.60	-0.50	0.00	0.50	2.00	4.01	87.1	88	318	D					
NL0010R		VREEDEPEEL		NETHERLANDS														
January 1998 - December 1998																		
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag				
NH3	11.59	7.04	9.65	1.87	1.57	3.18	9.97	25.80	40.84	76.2	0	278	D					
NH4+	1.71	1.21	1.31	2.25	-0.55	0.35	1.37	4.10	7.07	99.5	1	363	A					
NO3-	0.96	0.69	0.76	2.03	0.11	0.22	0.76	2.19	4.21	99.5	12	363	A					
NO2	7.65	3.99	6.69	1.70	1.52	2.74	6.71	15.25	21.35	91.5	0	334	C					
SO4--	0.98	0.67	0.77	2.03	0.10	0.26	0.81	2.31	3.47	99.5	10	363	A					
SO2	1.86	1.67	1.50	2.04	-0.50	0.00	1.50	5.01	11.02	87.1	24	318	D					
NO0001R		BIRKENES		NORWAY														
January 1998 - December 1998																		
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag				
NO2	0.62	0.75	0.40	2.64	0.01	0.08	0.41	1.87	8.34	99.2	4	362	A					
SO4--	0.46	0.48	0.28	2.95	0.01	0.04	0.28	1.41	3.27	93.4	0	341	A					
SO2	0.16	0.19	0.08	3.76	0.01	0.01	0.08	0.53	1.42	93.4	64	341	A					
NH3+NH4+	0.41	0.45	0.25	2.93	0.02	0.03	0.26	1.24	3.05	93.2	0	340	A					
HNO3+NO3	0.19	0.26	0.11	2.70	0.01	0.02	0.11	0.59	2.08	91.2	0	333	A					

NO0008R		SKREAADALEN		NORWAY													
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2		0.51	0.69	0.36	2.14	0.01	0.12	0.34	1.36	6.95	99.7	2	364	A			
SO4--		0.34	0.37	0.19	3.27	0.00	0.02	0.19	1.18	2.31	97.5	6	356	A			
SO2		0.12	0.22	0.05	3.86	0.01	0.01	0.04	0.52	1.37	98.1	105	358	A			
NH3+NH4+		1.34	0.80	1.08	2.11	0.03	0.34	1.23	2.91	3.89	98.1	0	358	A			
HNO3+NO3		0.15	0.18	0.09	2.63	0.01	0.02	0.08	0.53	1.20	95.6	0	349	A			
NO0015R		TUSTERVATN		NORWAY													
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2		0.18	0.13	0.13	2.26	0.01	0.02	0.14	0.40	0.93	98.9	18	361	A			
SO4--		0.21	0.22	0.13	2.58	0.00	0.03	0.13	0.76	1.38	97.5	4	356	A			
SO2		0.10	0.19	0.04	3.18	0.01	0.01	0.04	0.46	1.41	95.6	89	349	A			
NH3+NH4+		1.03	0.97	0.68	2.66	0.03	0.14	0.71	3.09	7.19	97.5	0	356	A			
HNO3+NO3		0.06	0.07	0.05	1.94	0.01	0.02	0.04	0.14	0.84	95.6	0	349	A			
NO0039R		KAARVATN		NORWAY													
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2		0.26	0.21	0.20	2.08	0.01	0.05	0.22	0.61	1.54	99.7	2	364	A			
SO4--		0.15	0.17	0.09	2.91	0.00	0.02	0.08	0.53	1.27	98.6	8	360	A			
SO2		0.05	0.07	0.03	2.46	0.01	0.01	0.03	0.16	1.01	98.9	126	361	A			
NH3+NH4+		0.33	0.31	0.24	2.31	0.02	0.05	0.25	0.85	3.66	94.8	0	346	A			
HNO3+NO3		0.05	0.04	0.04	1.85	0.01	0.02	0.03	0.11	0.45	98.6	0	360	A			
NO0041R		OSEN		NORWAY													
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2		0.46	0.49	0.32	2.26	0.01	0.10	0.28	1.36	4.20	98.1	3	358	A			
SO4--		0.26	0.33	0.13	3.48	0.00	0.02	0.12	1.02	2.20	99.5	7	363	A			
SO2		0.08	0.18	0.03	3.13	0.01	0.01	0.03	0.40	1.90	99.5	112	363	A			
NH3+NH4+		0.37	0.56	0.26	2.26	0.02	0.07	0.26	1.00	7.94	99.5	0	363	A			
HNO3+NO3		0.10	0.14	0.07	2.47	0.01	0.02	0.06	0.33	1.78	97.5	0	356	A			
NO0042R		SPITZBERGEN		NORWAY													
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
SO4--		0.17	0.15	0.10	3.33	0.00	0.00	0.13	0.48	0.76	89.6	17	327	A			
SO2		0.21	0.44	0.07	3.86	0.01	0.01	0.05	1.03	3.42	89.6	53	327	A			
NH3+NH4+		0.13	0.09	0.10	2.11	0.03	0.03	0.12	0.32	0.49	88.2	0	322	A			
HNO3+NO3		0.04	0.04	0.03	1.78	0.01	0.02	0.03	0.09	0.34	89.6	0	327	A			
NO0055R		KARASJOK		NORWAY													
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2		0.25	0.22	0.17	2.76	0.01	0.01	0.19	0.70	1.50	97.5	26	356	A			
SO4--		0.34	0.30	0.22	2.86	0.00	0.03	0.25	0.95	1.47	95.6	2	349	A			
SO2		0.91	2.09	0.19	6.34	0.01	0.01	0.15	4.20	17.68	93.2	34	340	A			
NH3+NH4+		0.52	0.47	0.38	2.22	0.06	0.10	0.36	1.25	4.11	95.6	0	349	A			
HNO3+NO3		0.06	0.07	0.05	1.89	0.02	0.02	0.05	0.13	0.62	92.1	0	336	A			
PL0002R		JARCZEW		POLAND													
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH4+		1.62	0.93	1.35	1.90	0.16	0.36	1.43	3.37	5.48	90.7	0	331	D			
NO3-		0.67	0.56	0.50	2.15	0.03	0.16	0.50	1.63	4.58	90.4	0	330	D			
NO2		2.48	1.48	2.16	1.66	0.40	1.00	2.10	5.20	10.10	97.5	0	356	B			
SO4--		1.63	0.87	1.39	1.82	0.10	0.49	1.45	3.12	5.65	90.7	0	331	A			
SO2		3.11	2.97	2.13	2.46	0.10	0.46	2.20	8.94	22.60	90.7	0	331	B			
NH3+NH4+		2.70	1.80	2.23	1.87	0.20	0.83	2.21	6.26	12.44	99.2	0	362	A			
HNO3+NO3		0.79	0.57	0.63	1.99	0.04	0.21	0.68	1.87	4.58	99.2	0	362	A			
SPM		0.3	0.6	1.0	1.2	0.0	0.0	0.0	1.0	4.0	99.2	275	362				

PL0003R		SNIEZKA		POLAND												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH4+	0.74	0.66	0.52	2.46	0.03	0.12	0.53	2.17	3.89	98.1	0	358	D			
NO3-	0.32	0.28	0.21	2.66	0.02	0.04	0.24	0.78	2.10	98.1	0	358	D			
NO2	1.29	0.61	1.15	1.66	0.10	0.50	1.20	2.41	3.80	98.1	0	358	B			
SO4--	0.79	0.53	0.62	2.11	0.10	0.10	0.65	1.82	2.77	98.1	0	358	A			
SO2	1.60	0.88	1.35	1.87	0.20	0.40	1.50	3.00	5.70	98.1	0	358	B			
NH3+NH4+	1.27	1.07	0.90	2.41	0.06	0.19	1.00	3.42	7.74	90.1	0	329	A			
HNO3+NO3	0.49	0.41	0.33	2.51	0.04	0.07	0.39	1.22	3.09	98.1	0	358	A			
SPM	0.1	0.4	1.0	1.1	0.0	0.0	0.0	1.0	3.0	98.1	315	358				
PL0004R		LEBA		POLAND												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH4+	1.01	0.90	0.69	2.53	0.03	0.12	0.74	2.93	6.81	98.1	0	358	D			
NO3-	0.51	0.49	0.36	2.32	0.02	0.09	0.35	1.50	2.89	97.8	0	357	D			
NO2	1.70	1.53	1.30	2.02	0.30	0.50	1.30	5.07	10.40	96.7	0	353	B			
SO4--	1.21	0.87	0.90	2.34	0.10	0.10	0.99	2.73	4.96	96.7	0	353	A			
SO2	1.57	1.62	1.05	2.56	0.10	0.20	1.10	4.22	10.20	98.1	0	358	B			
NH3+NH4+	1.37	0.96	1.08	2.09	0.11	0.27	1.14	3.22	7.02	98.1	0	358	A			
HNO3+NO3	0.58	0.51	0.43	2.18	0.06	0.12	0.44	1.57	2.90	98.1	0	358	A			
SPM	0.2	0.5	1.0	1.1	0.0	0.0	0.0	1.0	2.0	98.1	311	358				
PL0005R		DIABLA GORA		POLAND												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2	0.63	0.77	0.33	3.43	0.03	0.05	0.41	2.09	5.71	97.5	66	356	A			
SO4--	1.25	0.92	0.96	2.14	0.05	0.26	1.02	2.95	7.14	98.6	1	360	B			
SO2	1.41	1.82	0.72	3.33	0.05	0.10	0.71	5.34	11.28	98.1	14	358	A			
NH3+NH4+	1.24	0.82	0.89	2.91	0.01	0.10	1.11	2.67	6.26	97.5	10	356	B			
HNO3+NO3	0.63	0.50	0.50	1.97	0.06	0.17	0.46	1.70	3.36	94.0	1	343	B			
RU0001R		JANISKOSKI		RUSSIAN FEDERATION												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH4+	0.23	0.21	0.17	2.28	0.00	0.03	0.18	0.55	2.45	78.4	117	286	D			
NO3-	0.06	0.10	0.04	2.26	0.00	0.01	0.03	0.18	1.37	78.4	94	286	D			
SO4--	0.41	0.34	0.29	2.59	0.01	0.05	0.33	0.96	2.49	78.4	16	286	B			
SO2	1.28	2.34	0.69	3.56	0.00	0.00	0.30	5.74	16.00	78.4	115	286	B			
NH3+NH4+	0.25	0.24	0.20	2.02	0.02	0.05	0.20	0.55	3.18	78.4	48	286	B			
RU0013R		PINEGA		RUSSIAN FEDERATION												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH4+	0.47	0.37	0.37	2.12	0.00	0.07	0.37	0.95	2.89	31.8	26	116	D			
NO3-	0.04	0.03	0.03	1.88	0.00	0.01	0.03	0.07	0.16	31.8	90	116	D			
SO4--	0.45	0.32	0.37	2.00	0.00	0.12	0.37	1.08	2.04	31.8	4	116	B			
SO2	0.52	0.58	0.39	2.35	0.00	0.00	0.30	1.62	3.10	31.8	21	116	B			
RU0016R		SHEPELJOVO		RUSSIAN FEDERATION												
January 1998 - December 1998																
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH4+	0.59	0.52	0.45	2.37	0.00	0.03	0.42	1.66	3.22	83.8	64	306	D			
NO3-	0.20	0.16	0.15	2.16	0.00	0.04	0.16	0.52	1.08	83.8	13	306	D			
SO4--	0.68	0.60	0.50	2.23	0.03	0.13	0.50	1.61	6.21	83.8	4	306	B			
SO2	1.30	1.06	0.96	2.26	0.00	0.30	0.90	3.50	4.70	83.8	6	306	B			

SE0002R RORVIK		SWEDEN													
January 1998 - December 1998															
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag	
NO2	1.66	1.48	1.27	2.03	0.06	0.42	1.23	4.42	12.16	99.2	1	362	A		
SO4--	0.75	0.69	0.51	2.53	0.01	0.11	0.54	2.30	4.53	93.7	0	342	A		
SO2	0.60	0.55	0.43	2.35	0.02	0.09	0.45	1.61	4.79	93.2	0	340	A		
NH3+NH4+	0.98	0.98	0.67	2.40	0.05	0.17	0.66	2.93	7.40	92.9	19	339	A		
HNO3+NO3	0.52	0.56	0.35	2.47	0.01	0.08	0.34	1.61	4.21	92.9	3	339	A		
SPM	1.8	3.0	1.1	2.3	0.7	0.7	0.7	6.2	34.4	98.6	256	360			
SE0005R BREDKALEN		SWEDEN													
January 1998 - December 1998															
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag	
NO2	0.22	0.21	0.16	2.21	0.04	0.04	0.16	0.65	1.62	100.0	50	365	A		
SO4--	0.21	0.26	0.12	3.13	0.00	0.01	0.12	0.80	1.50	99.7	9	364	A		
SO2	0.10	0.21	0.05	3.07	0.00	0.00	0.03	0.44	1.96	99.7	19	364	A		
NH3+NH4+	0.16	0.19	0.09	3.00	0.00	0.01	0.09	0.49	1.57	99.7	107	364	A		
HNO3+NO3	0.04	0.06	0.03	2.10	0.00	0.01	0.03	0.11	0.97	99.7	23	364	A		
SPM	0.8	0.3	0.7	1.2	0.7	0.7	0.7	0.7	2.9	100.0	352	365			
SE0008R HOBURG		SWEDEN													
January 1998 - December 1998															
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag	
NO2	1.01	0.90	0.79	1.98	0.03	0.31	0.73	2.82	6.39	97.3	1	355	A		
SO4--	0.72	0.65	0.48	2.65	0.00	0.08	0.52	1.94	4.31	96.4	1	352	A		
SO2	0.69	1.01	0.42	2.54	0.02	0.10	0.41	2.18	10.47	96.4	0	352	A		
SPM	2.2	3.2	1.3	2.5	0.7	0.7	0.7	7.9	29.5	98.9	232	361			
SE0011R VAVIHILL		SWEDEN													
January 1998 - December 1998															
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag	
NO2	1.87	1.70	1.38	2.11	0.17	0.45	1.27	5.74	10.69	91.5	0	334	A		
SO4--	0.78	0.79	0.50	2.75	0.00	0.08	0.54	2.61	5.16	89.6	1	327	A		
SO2	0.74	1.08	0.39	3.03	0.00	0.06	0.35	3.11	7.46	89.6	1	327	A		
NH3+NH4+	1.13	1.00	0.78	2.56	0.03	0.15	0.81	3.16	6.85	89.0	19	325	A		
HNO3+NO3	0.54	0.51	0.38	2.38	0.03	0.10	0.36	1.46	3.70	89.3	1	326	A		
SPM	2.3	3.7	1.3	2.5	0.7	0.7	0.7	9.2	35.4	92.6	221	338			
SE0012R ASPVRETNEN		SWEDEN													
January 1998 - December 1998															
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag	
NO2	0.85	0.66	0.70	1.79	0.20	0.31	0.64	2.02	5.86	99.2	0	362	A		
SO4--	0.55	0.55	0.34	3.02	0.00	0.04	0.37	1.62	4.45	94.5	1	345	A		
SO2	0.33	0.42	0.19	2.95	0.00	0.03	0.20	1.01	3.66	95.3	3	348	A		
NH3+NH4+	0.45	0.45	0.30	2.55	0.02	0.07	0.29	1.31	3.65	94.0	47	343	A		
HNO3+NO3	0.24	0.24	0.17	2.18	0.01	0.05	0.17	0.66	2.14	94.2	7	344	A		
SI0008R ISKRBA		SLOVENIA													
January 1998 - December 1998															
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag	
SO4--	1.14	0.85	0.83	2.38	0.03	0.18	0.93	2.69	5.40	98.4	0	359	A		
SO2	1.19	1.62	0.54	3.92	0.00	0.04	0.57	4.77	9.74	98.4	2	359	A		
NH3+NH4+	1.15	0.80	0.88	2.19	0.04	0.20	0.95	2.66	5.42	98.4	0	359	A		
HNO3+NO3	0.29	0.23	0.21	2.29	0.01	0.05	0.23	0.69	1.72	98.4	0	359	A		
SK0002R CHOPOK		SLOVAKIA													
January 1998 - December 1998															
Component	Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag	
NO3-	0.19	0.21	0.11	2.78	0.01	0.04	0.09	0.69	1.09	99.5	144	363	D		
HNO3	0.08	0.06	0.06	1.71	0.01	0.03	0.06	0.15	0.66	99.5	0	363	D		
NO2	1.05	0.31	1.00	1.41	0.24	0.48	1.08	1.60	2.28	96.2	0	351	B		
SO4--	0.62	0.48	0.47	2.16	0.07	0.12	0.43	1.67	2.56	99.5	14	363	B		
SO2	0.80	0.72	0.59	2.20	0.10	0.20	0.60	2.20	5.90	99.5	0	363	B		

SK0004R		STAR A LESNA				SLOVAKIA											
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO3-		0.27	0.20	0.22	1.93	0.01	0.05	0.22	0.64	1.53	99.2	19	362	D			
HNO3		0.08	0.06	0.06	1.86	0.02	0.03	0.05	0.21	0.45	99.2	0	362	D			
NO2		1.86	0.72	1.75	1.39	0.90	1.10	1.70	3.20	6.80	100.0	0	365	B			
SO4--		1.05	0.62	0.88	1.83	0.08	0.32	0.89	2.22	4.60	98.9	0	361	B			
SO2		1.74	1.88	1.18	2.38	0.10	0.30	1.20	5.79	18.30	99.2	0	362	B			
SK0005R		LIESEK				SLOVAKIA											
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO3-		0.49	0.29	0.41	1.86	0.05	0.15	0.42	1.08	1.90	74.0	6	270	D			
HNO3		0.09	0.10	0.07	1.93	0.01	0.03	0.06	0.21	0.91	74.2	0	271	D			
NO2		2.21	1.15	2.03	1.47	0.80	1.30	1.90	4.40	10.70	99.5	0	363	B			
SO4--		1.36	0.74	1.18	1.72	0.16	0.49	1.18	2.87	4.25	74.0	0	270	B			
SO2		4.29	7.29	2.12	2.93	0.20	0.50	1.70	17.05	53.80	74.2	0	271	B			
SK0006R		STARINA				SLOVAKIA											
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO3-		0.26	0.19	0.20	2.22	0.02	0.05	0.22	0.64	1.16	97.8	34	357	D			
HNO3		0.29	0.27	0.20	2.32	0.02	0.05	0.20	0.83	1.92	99.2	0	362	D			
NO2		1.68	0.63	1.59	1.39	0.50	1.00	1.60	2.80	5.40	99.7	0	364	B			
SO4--		1.28	0.77	1.05	2.01	0.04	0.30	1.09	2.83	4.51	97.8	3	357	B			
SO2		2.87	3.27	1.81	2.57	0.20	0.50	1.60	8.97	19.00	99.2	0	362	B			
TR0001R		CUBUK II				TURKEY											
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NH3		0.28	0.22	0.21	2.90	-0.04	0.00	0.24	0.71	1.09	60.3	16	220	D			
NH4+		0.24	0.22	0.17	2.74	-0.02	0.01	0.17	0.77	1.03	60.3	21	220	D			
NO3-		0.06	0.07	0.05	2.50	-0.01	0.01	0.04	0.20	0.77	56.2	20	205	D			
HNO3		0.08	0.05	0.07	2.10	-0.01	0.02	0.07	0.17	0.33	59.5	3	217	D			
NO2		0.66	0.65	0.50	2.40	-0.25	0.02	0.45	1.82	4.81	60.3	11	220	B			
SO4--		0.28	0.31	0.17	2.95	-0.01	0.02	0.16	0.98	1.65	55.9	1	204	B			
SO2		0.93	1.20	0.48	3.72	-0.09	0.01	0.43	3.69	7.07	59.5	9	217	C			
NH3+NH4+		0.51	0.29	0.43	2.02	-0.05	0.09	0.47	1.04	1.51	60.3	2	220	A			
HNO3+NO3		0.15	0.10	0.12	2.08	0.01	0.03	0.13	0.31	0.88	56.4	1	206	A			
YU0005R		KAMENICKI VIS				YUGOSLAVIA											
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2		3.06	1.71	2.71	1.60	1.00	1.30	2.60	6.25	12.00	94.8	0	346	B			
SO2		4.85	3.19	4.13	1.70	2.00	2.50	3.55	11.82	18.10	75.3	0	275	D			
YU0008R		ZABLJAK				YUGOSLAVIA											
January 1998 - December 1998																	
Component		Arit mean	Arit sd	Geom mean	Geom sd	Min	5%	50%	95%	Max	% anal	Num bel	Num sampl	QA flag	Samp flag		
NO2		3.18	1.83	2.77	1.69	1.00	1.20	2.80	6.65	13.80	95.9	0	350	B			
SO2		3.70	2.15	3.32	1.52	2.50	2.50	2.50	8.11	13.50	98.4	0	359	D			

Annex 4

List of data reports

Data Report October 1977-September 1978.
EMEP/CCC-Report 3/80 by J. Schaug, H. Dovland, J.E. Skjelmoen.
Lillestrøm, Norwegian Institute for Air Research, 1980.

Data Report October 1978-September 1979.
EMEP/CCC-Report 4/81 by J.E. Skjelmoen, H. Dovland, J. Schaug.
Lillestrøm, Norwegian Institute for Air Research, 1981.

Data Report October 1979-September 1980.
EMEP/CCC-Report 5/84 by J.E. Skjelmoen, J. Schaug. Lillestrøm, Norwegian
Institute for Air Research, 1984.

Data Report October 1980-September 1981.
EMEP/CCC-Report 6/84 by J.E. Skjelmoen, J. Schaug.
Lillestrøm, Norwegian Institute for Air Research, 1984.

Data Report October 1981-September 1982.
EMEP/CCC-Report 2/85 by K. Nodop, J.E. Skjelmoen, J. Schaug.
Lillestrøm, Norwegian Institute for Air Research, 1985.

Data Report October 1982-December 1982.
EMEP/CCC-Report 4/86 by J. Schaug, A. Harstad, T. Krognes, J.E. Skjelmoen.
Lillestrøm, Norwegian Institute for Air Research, 1986.

Data Report January 1983-December 1983.
EMEP/CCC-Report 5/86 by J. Schaug, A. Harstad, T. Krognes,
J.E. Skjelmoen.
Lillestrøm, Norwegian Institute for Air Research, 1986.

Data Report January 1984-June 1984
EMEP/CCC-Report 1/87 by J. Schaug, J. Pacyna, A. Harstad, T. Krognes, J.E.
Skjelmoen.
Lillestrøm, Norwegian Institute for Air Research, 1987.

Data Report July 1984-December 1984
EMEP/CCC-Report 2/87 by J. Schaug, J. Pacyna, A. Harstad, T. Krognes, J.E.
Skjelmoen.
Lillestrøm, Norwegian Institute for Air Research, 1987.

Data Report January 1985-June 1985
EMEP/CCC-Report 5/87 by J. Pacyna, J. Schaug, A. Harstad, T. Krognes, J.E.
Skjelmoen.
Lillestrøm, Norwegian Institute for Air Research, 1987.

Data Report July 1985-December 1985
EMEP/CCC-Report 6/87 by J. Pacyna, J. Schaug, A. Harstad, T. Krognes, J.E.
Skjelmoen
Lillestrøm, Norwegian Institute for Air Research, 1987.

Ozone measurements January-December 1985
EMEP/CCC-Report 3/89 by U. Feister, U. Pedersen.
Potsdam/Lillestrøm, Meteorological Service of the GDR/Norwegian Institute for Air Research, 1989.

European Precipitation Chemistry Atlas.
An Atlas of monthly and seasonal maps of precipitation amount, non-marine sulphate, nitrate, ammonium and hydrogen ion concentrations and depositions based on the EMEP precipitation network: October 1977 to September 1982.
EMEP/CCC-Report 5/88 by R.J. Barthelmie, T.D. Davies, G. Farmer, J. Schaug.
Norwich/Lillestrøm, Climatic Research Unit, University of East Anglia/
Norwegian Institute for Air Research, 1988.

Data Report 1986. Part 1: Annual summaries.
EMEP/CCC-Report 6/88 by J. Schaug, J.E. Skjelmoen, S.E. Walker, A. Harstad, K. Nodop, J. Pacyna
Lillestrøm, Norwegian Institute for Air Research, 1988.

Data Report 1986. Part 2: Monthly and seasonal summaries.
EMEP/CCC-Report 7/88 by J. Schaug, J.E. Skjelmoen, S.E. Walker, A. Harstad, K. Nodop, J. Pacyna
Lillestrøm, Norwegian Institute for Air Research, 1988.

Ozone measurements January-December 1986.
EMEP/CCC-Report 8/90 by U. Feister, U. Pedersen, E. Schulz, S. Hechler.
Potsdam/Lillestrøm, Meteorological Service of the GDR/Norwegian Institute for Air Research, 1990.

Data Report 1987. Part 1: Annual summaries.
EMEP/CCC-report 1/89 by J. Schaug, J.E. Skjelmoen, S.-E. Walker, U. Pedersen, A. Harstad
Lillestrøm, Norwegian Institute for Air Research, 1989.

Data Report 1987. Part 2: Monthly and seasonal summaries. EMEP/CCC-Report 2/89 by J. Schaug, J.E. Skjelmoen, S.E. Walker, U. Pedersen, A. Harstad
Lillestrøm, Norwegian Institute for Air Research, 1989.

Data Report 1988. Part 1: Annual summaries.
EMEP/CCC-Report 4/90 by U. Pedersen, J. Schaug, J.E. Skjelmoen, J.E. Hanssen.
Lillestrøm, Norwegian Institute for Air Research, 1990.

European Precipitation Chemistry Atlas (Volume 2).
 An Atlas of monthly and seasonal maps of precipitation amount, non-marine sulphate, nitrate, ammonium and hydrogen ion concentrations and depositions based on the EMEP precipitation network: October 1982 to December 1985.
 EMEP/CCC-Report 6/90 by T.D. Davies, R.J. Barthelmie, M. Varley, S. Dorling, G. Farmer, J. Schaug.
 Norwich/Lillestrøm, Climatic Research Unit, University of East Anglia/Norwegian Institute for Air Research, 1990.

Data Report 1988. Part 2: Monthly and seasonal summaries.
 EMEP/CCC-Report 5/90 by J. Schaug, U. Pedersen, J.E. Skjelmoen, J.E. Hanssen.
 Lillestrøm, Norwegian Institute for Air Research, 1990.

Data Report 1989. Part 1: Annual summaries.
 EMEP/CCC-Report 2/91 by J. Schaug, U. Pedersen, J.E. Skjelmoen.
 Lillestrøm, Norwegian Institute for Air Research, 1991.

Data Report 1989. Part 2: Monthly and seasonal summaries.
 EMEP/CCC-Report 3/91 by J. Schaug, U. Pedersen, J.E. Skjelmoen. Lillestrøm, Norwegian Institute for Air Research, 1991.

Ozone Data Report 1988.
 EMEP/CCC-Report 1/92 by U. Pedersen.
 Lillestrøm, Norwegian Institute for Air Research, 1992.

Data Report 1990. Part 1: Annual summaries.
 EMEP/CCC-Report 2/92 by U. Pedersen, J. Schaug, J.E. Skjelmoen.
 Lillestrøm, Norwegian Institute for Air Research, 1992.

Data Report 1990. Part 2: Monthly and Seasonal Summaries.
 EMEP/CCC-Report 3/92 by J. Schaug, U. Pedersen, J.E. Skjelmoen and I. Kvalvågnes.
 Lillestrøm, Norwegian Institute for Air Research, 1992.

European Precipitation Chemistry Atlas (Volume 3). An Atlas of monthly and seasonal maps of precipitation amount, non-sea-salt sulphate, nitrate, ammonium and hydrogen ion concentrations and depositions based on the EMEP precipitation chemistry network: January 1986 to December 1989.
 EMEP/CCC-Report 6/92 by T.D. Davies, S. Glynn, R.J. Barthelmie.
 Norwich/Lillestrøm, Climate Research Unit, University of East Anglia, Norwegian Institute for Air Research, 1992.

Ozone Data Report 1989.
 EMEP/CCC-Report 2/93 by U. Pedersen and I. Kvalvågnes.
 Lillestrøm, Norwegian Institute for Air Research, 1993.

Data Report 1991. Part 1: Annual summaries.
EMEP/CCC-Report 4/93 by J. Schaug, U. Pedersen, J.E. Skjelmoen and
I. Kvalvågnes.
Lillestrøm, Norwegian Institute for Air Research, 1993.

Data Report 1991. Part 2: Monthly and seasonal summaries.
EMEP/CCC-Report 5/93 by J. Schaug, U. Pedersen, J.E. Skjelmoen and
I. Kvalvågnes.
Lillestrøm, Norwegian Institute for Air Research, 1993.

Data Report 1992. Part 1: Annual summaries.
EMEP/CCC-Report 4/94 by J. Schaug, U. Pedersen, J.E. Skjelmoen, K. Arnesen,
A. Bartonova.
Lillestrøm. Norwegian Institute for Air Research, 1992.

Data Report 1992. Part 2: Monthly and seasonal summaries.
EMEP/CCC-Report 5/94 by J. Schaug, U. Pedersen, J.E. Skjelmoen and
K. Arnesen.
Lillestrøm, Norwegian Institute for Air Research, 1993.

VOC measurements August 1992-June 1993.
EMEP/CCC-Report 6/93 by S. Solberg, N. Schmidbauer, C. Dye, U. Pedersen and
J. Schaug.
Lillestrøm, Norwegian Institute for Air Research, 1993.

VOC measurements 1993.
EMEP/CCC-Report 3/94 by S. Solberg, C. Dye and N. Schmidbauer.
Lillestrøm, Norwegian Institute for Air Research, 1994.

Ozone Measurements 1990-1992.
EMEP/CCC-Report 4/95 by A.-G. Hjellbrekke.
Kjeller, Norwegian Institute for Air Research, 1995.

Data Report 1993. Part 1: Annual summaries.
EMEP/CCC-Report 7/95 by A.-G. Hjellbrekke, G. Lövblad, K. Sjöberg,
J. Schaug, J.E. Skjelmoen.
Kjeller, Norwegian Institute for Air Research, 1995.

Data Report 1993. Part 2: Monthly and seasonal summaries.
EMEP/CCC-Report 8/95 by G. Lövblad, A.-G. Hjellbrekke, K. Sjöberg,
J. Schaug, J.E. Skjelmoen.
Kjeller, Norwegian Institute for Air Research, 1995.

Ozone Measurements 1993-1994.
EMEP/CCC-Report 1/96 by A.G. Hjellbrekke.
Kjeller, Norwegian Institute for Air Research, 1996.

Data Report 1994. Part 1: Annual summaries.
EMEP/CCC-Report 4/96 by A.-G. Hjellbrekke, J. Schaug, J.E. Skjelmoen.
Kjeller, Norwegian Institute for Air Research, 1996.

Data Report 1994. Part 2: Monthly and seasonal summaries.
EMEP/CCC-Report 5/96 by A.-G. Hjellbrekke, J. Schaug, J.E. Skjelmoen.
Kjeller, Norwegian Institute for Air Research, 1996.

VOC measurements 1994–1995.
EMEP/CCC-Report 6/96 by S. Solberg, C. Dye and N. Schmidbauer.
Kjeller, Norwegian Institute for Air Research, 1996.

Heavy metals and POPs within the ECE region.
EMEP/CCC-Report 8/96 by T. Berg, A.-G. Hjellbrekke, J.E. Skjelmoen.
Kjeller, Norwegian Institute for Air Research, 1996.

Ozone Measurements 1995.
EMEP/CCC-Report 3/97 by A.-G. Hjellbrekke.
Kjeller, Norwegian Institute for Air Research, 1997.

Data Report 1995. Part 1: Annual summaries.
EMEP/CCC-Report 4/97 by A.-G. Hjellbrekke, J. Schaug, J.E. Hanssen,
J.E. Skjelmoen.
Kjeller, Norwegian Institute for Air Research, 1997.

Data Report 1995. Part 2: Monthly and seasonal summaries.
EMEP/CCC-Report 5/97 by A.-G. Hjellbrekke, J. Schaug, J.E. Hanssen,
J.E. Skjelmoen.
Kjeller, Norwegian Institute for Air Research, 1997.

VOC measurements 1996.
EMEP/CCC-Report 7/97 by S. Solberg, C. Dye and N. Schmidbauer.
Kjeller, Norwegian Institute for Air Research, 1997.

Data Report 1996. Part 1: Annual summaries.
EMEP/CCC-Report 1/98 by A.-G. Hjellbrekke and J.E. Hanssen.
Kjeller, Norwegian Institute for Air Research, 1998.

Data Report 1996. Part 2: Monthly and seasonal summaries.
EMEP/CCC-Report 2/98 by A.-G. Hjellbrekke and J.E. Hanssen.
Kjeller, Norwegian Institute for Air Research, 1998.

Ozone Measurements 1996.
EMEP/CCC-Report 3/98 by A.-G. Hjellbrekke.
Kjeller, Norwegian Institute for Air Research, 1998.

VOC measurements 1997.

EMEP/CCC-Report 4/98 by S. Solberg, P. Coddeville, C. Dye, J. Honzak and
N. Schmidbauer.

Kjeller, Norwegian Institute for Air Research, 1998.

Data Report 1997. Part 1: Annual summaries.

EMEP/CCC-Report 3/99 by A.-G. Hjellbrekke.

Kjeller, Norwegian Institute for Air Research, 1999.

Data Report 1997. Part 2: Monthly and seasonal summaries.

EMEP/CCC-Report 4/99 by A.-G. Hjellbrekke.

Kjeller, Norwegian Institute for Air Research, 1999.

Ozone Measurements 1997.

EMEP/CCC-Report 2/99 by A.-G. Hjellbrekke.

Kjeller, Norwegian Institute for Air Research, 1999.

Annex 5

EMEP Data Quality Objectives (DQO)

10 % accuracy or better for oxidized sulphur and oxidized nitrogen in single analysis in the laboratory,

15 % accuracy or better for other components in the laboratory,

0.05 units for pH,

15–25 % uncertainty for the combined sampling and chemical analysis (components to be specified later),

90 % data completeness of the daily values.

The targets, with respect to accuracy in the laboratory, for the very lowest concentrations of the main components in precipitation follow the WMO GAW (1992) recommendations for regional stations:

	Accuracy	
SO_4^{2-}	0.032 mg S/l	(1 $\mu\text{mol/l}$)
NO_3^-	0.014 mg N/l	(1 $\mu\text{mol/l}$)
NH_4^+	0.028 mg N/l	(2 $\mu\text{mol/l}$)
Cl^-	0.107 mg Cl/l	(3 $\mu\text{mol/l}$)
Ca^{2+}	0.012 mg Ca/l	(0.3 $\mu\text{mol/l}$)
K^+	0.012 mg K/l	(0.3 $\mu\text{mol/l}$)
Mg^{2+}	0.007 mg Mg/l	(0.3 $\mu\text{mol/l}$)
Na^+	0.007 mg Na/l	(0.3 $\mu\text{mol/l}$)

The targets for the wet analysis of components extracted from air filters are the same as for precipitation. For SO_2 the limit above for sulphate is valid for the medium volume method with impregnated filter. For NO_2 determined as NO_2^- in solution the accuracy for the lowest concentrations is 0.01 mg N/l.

The aim for data completeness is valid for the current definition used by the CCC. This definition will, however, be harmonised with the WMO GAW definition and modified.

It is understood that there is a need to investigate additional uncertainty caused by local influence on the measurements at the sites (not representative siting).

It may be necessary to reconsider the DQO for volatile organic components (VOC), persistent organic pollutants (POP), and trace metals (HM).